

Forest Operation Plan Guidelines

Private Native Forestry Code of Practice for Cypress and Western Hardwood Forests

These Guidelines accompany the Forest Operation Plan (FOP) template for the *Private Native Forestry Code of Practice for Cypress and Western Hardwood Forests* (the Code).

- Read these guidelines in conjunction with the FOP template. They provide background information, instructions, tips and examples to help you to complete your FOP, including marking up your FOP map.
- Numbering of sections in these Guidelines, and in the FOP template, correlates with the numbering in the Code.
- Contact your local Private Native Forestry Officer or call the Office of Environment and Heritage (OEH)
 on 131 555 if you have any questions about what you have to do, or if you would like help completing
 the FOP.

Best practice tips

These Guidelines also include 'Best practice tips'. These are included to help you carry out the forest operations, but the actions they recommend are not compulsory.

Amendments to the FOP

If you need to amend the FOP after it has been completed, record the changes on the front cover. If necessary, you should also mark up changes in the relevant section of the FOP.

Date of amendment	What needs to be added or changed?	Which section of the FOP does this apply to?
20 June 2010	New log dump and additional road construction at the eastern end of Road 2.	sections 5.1 and 5.2
22 June 2010	Yellow-bellied glider feed tree identified along western boundary.	section 4.2
24 June 2010	Changed crossing No. 2 from a culvert to a causeway. Crushed rock brought in to ensure stability.	page 17

1

Terms used in the FOP

'Code' is the Private Native Forestry Code of Practice for Cypress and Western Hardwood Forests.

'You' is the landowner. As the landowner:

- You are the person who holds the approval for the Private Native Forestry Property Vegetation Plan (PNF PVP) covering the landholding.
- You are responsible for ensuring that a FOP is prepared before starting any forest operations.
- You are responsible for making sure that all forest operations comply with the Code.

'Forest operation' means all clearing resulting from activities associated with forest management including harvesting operations, construction and maintenance of roads and tracks, and prescribed burning for regeneration.

For other definitions refer to the Code glossary.

Abbreviations

FOP Forest Operation Plan

OEH Office of Environment and Heritage

PNF Private native forestry

PVP Property vegetation plan

Contents

Back	κgrοι	ind information	4
	Befo	re you start	4
	Abou	ut your FOP	4
	Why	do you need a FOP?	5
	Wha	t do you have to do with the FOP?	5
	Wha	t if your plans change after you've started?	6
	Field	work summary	6
Guio	leline	s for completing your FOP	9
FOP	map	checklist	9
1	Pro	perty Vegetation Plan	9
2	Fore	est operation planning and management	9
	2.1	Landowner's details	9
	2.2	Property details	9
	2.3	Forest inventory	10
	2.4	History of forest disturbance	11
3	Silv	icultural operations	12
	3.1	Forest operations	12
	3.2	Harvesting technique	12
	3.3	Timber products to be harvested	12
	3.4	Timber species to be harvested	12
	3.5	Harvesting methods and equipment	12
	3.6	Stand heights and stand basal areas	13
	3.7	Regeneration and stocking	14
4	Pro	ection of the environment	14
	4.1	Protection of landscape features of environmental and cultural significance	14
	4.2	Protection of habitat and biodiversity	15
	4.3	Minimising damage to retained trees and native vegetation	16
	4.4	Drainage feature protection	16
5	Con	struction and maintenance of forest infrastructure	17
	5.1	Construction and maintenance of roads (and crossings)	18
	5.2	Log landings, portable mill sites and snig tracks	26
App	endix	: Listed species	26
	Man	agement actions for listed species	27
Tree	mar	king checklist	28
FOP	sian	off	28

Background information

Before you start ...

Before you start any forest operations, you will need:

A current PNF PVP agreement, approved by OEH. If you don't have a current PVP, or have not yet begun the PVP application process, please contact OEH before continuing any further.

Before you start working on your FOP you will need:

- A copy of the *Private Native Forestry Code of Practice for Cypress and Western Hardwood Forests*. You will need to refer to the Code to complete the FOP.
- A FOP base map supplied by OEH. If you don't have a copy of the FOP base map contact OEH.
- A list of threatened species (if any) that have been recorded within ten kilometres of your PVP area (OEH provides this list as part of the PVP application process). If you don't have this list contact OEH.
- OEH also recommends that you refer to the publication Silvicultural Guidelines Private Native Forestry
 Code of Practice, available free from OEH. This is available from your local OEH office, or online at
 www.environment.nsw.gov.au/pnf, or you can obtain a copy by phoning OEH (toll free) on 131 555.

About your FOP

The landowner, and all others who will be carrying out forest operations, must read, sign and date a FOP before the operations begin. The FOP must be available on site during the forest operations covered by the plan.

The template provided for your FOP sets out what you have to write down about the operations you are proposing to carry out. You also have to add information to the FOP map provided by OEH to show details about the proposed forest operations and the area they will cover.

Together, the completed template and the map make up your FOP.

Why do you need a FOP?

The FOP is a legal requirement.

A FOP, completed before forest operations begin, is a legal requirement under the Code. Another person may prepare the FOP for you, but you must read it, check it is complete and sign it to indicate your approval.

The FOP can help you to comply with the Code.

All forest operations must comply with the Code. Completing this FOP before you start work will help you, and anyone carrying out the site work, to comply with the Code's provisions.

The FOP can help you brief your Contractor.

If forest operations on your land will be carried out by a Contractor, you are responsible for making sure the Contractor complies with the Code. The Contractor, and anyone else carrying out the forest operations, has to read and sign the FOP before any work begins. You are responsible for making sure the Contractor (and their staff) understands that by signing the FOP they are legally bound to comply with the FOP and the Code. This can help you to have control over any forest operations that are carried out on your land.

The FOP can help you maintain your forest assets.

There are two key measures that will sustain your forest:

- · keeping harvesting to a sustainable level, and
- · making sure there is adequate regeneration.

The Code sets out the minimum requirements for harvesting and regeneration. The measurements you are required to take in order to complete the FOP will help you to maintain your forest so that it remains a productive and viable asset over the long term. The Code's requirements are just the minimum – you can add requirements or conditions to your FOP that are in addition to the Code. These may include specific requirements you would like the Contractor to adhere to.

What do you have to do with the FOP?

☑ Keep the FOP on site.

You, and anyone carrying out the work, must have a copy of the FOP on site at all times while the work is being carried out.

☑ Keep the FOP after the work has been completed.

You have to keep the FOP for three years after the work has been completed, or for the life of your PNF PVP agreement – whichever is the later date.

☑ Give the FOP to OEH when requested.

You will need to give the FOP to OEH when requested. For example, this could be during an audit of your forest operations. OEH may ask to see the FOP at any time during the period you are required to keep it.

What if your plans change after you've started?

Once work begins on site you may find that you need to change your plans. If the forest operations set out in the FOP change at any time, you are required to amend the FOP to show the changes. You can provide a brief description in the space provided on the FOP front cover, or a more detailed description elsewhere on the FOP, or mark the change on the FOP map.

Field work summary

You will need to conduct the following field work to obtain site information in order to complete the FOP. This list is a summary of the field tasks only – read the remainder of the FOP template and these Guidelines before you start the field work because they contain further information about what is required.

Silviculture

Refer to the Code section 3.

- Determine which of the forest types listed in the Code Table A are present within the FOP area (these are referred to in the Code as 'broad forest types').
- · For each broad forest type:
 - Determine the species mix.
 - Determine the forest condition. (See page 10 of these Guidelines.)
 - Estimate the stand height.
 - Estimate the stand basal area.

Refer to page 13 of these Guidelines – 'Stand heights and stand basal areas' – before you take these measurements.

Identify timber species to be harvested and products to be obtained during the forest operations.

Habitat and biodiversity

Refer to the Code section 4.

- Identify whether any of the landscape features listed in the Code Table C are present in the FOP area. Some of them may already be shown on the FOP base map. Identify and map the location of the features that are not already shown on the map.
- Identify the location of any roost, nest and food trees as set out in the Code section 4.
- Identify the presence of additional protected trees: Xanthorrhoea (grass trees), Banksia and Allocasuarina (forest oak) – except Allocasuarina luehmannii (bull oak).

Drainage features

Refer to the Code section 4.4.

- Determine how the riparian exclusion zones around mapped drainage features will be identified in the field.
- Determine whether there are any unmapped drainage lines (see definition in the Code glossary). You
 need to know this because the Code section 4.4 contains specific requirements for unmapped drainage
 lines.

Roads

Refer to the Code section 5.1.

- Inspect existing roads to be used during the operations to determine whether upgrading or maintenance works are required to comply with the Code.
- Mark the location of the existing roads on the FOP map.
- Determine a suitable location for any new roads to be constructed during the operations.
- Mark the location of proposed new roads on the FOP map.
- It is advisable to mark the new road line in the field.
- As far as practicable:
 - Minimise the need to construct new roads.
 - Locate new roads along ridge lines, or just off the crest of the ridge to assist outfall drainage.
 - Minimise road grade. Steep roads are more difficult to drain.
 - Minimise the clearing width where an existing road is overgrown.

Drainage feature crossings

Refer to the Code section 5.1.2.

- Inspect existing drainage feature crossings that will be used during the operations to determine whether upgrading works are required to comply with the Code. All crossings must be stable structures.
- Existing 'gully stuffers' comply with the Code if they are stable. Refer to the Code glossary for a definition of a 'gully stuffer'. New gully stuffers must not be constructed.
- Mark the location of the existing crossings on the FOP map.
- Minimise the need to construct new drainage feature crossings.
- Determine a suitable location for any new drainage feature crossings to be constructed during the operations.
- Mark the location of the new crossings on the FOP map.

Best practice tip

Take care with the drainage of road approaches to crossings. This is an important issue because poor drainage can cause sediment pollution of drainage features.

Log landings and portable mill sites

Refer to the Code section 5.2.

- Determine the appropriate location of log dumps and portable mill sites, if required.
- Mark the location of all log dumps and portable mill sites on the FOP map.

Best practice tip

Select log dumps and portable mill sites so they are located:

- at least 10 m from an exclusion zone.
- on ridgelines, where practicable.

Threatened species

- Identify the presence of site evidence of threatened species listed in the Code Appendix. You should be
 particularly aware of site evidence for those species on the list provided by OEH that have been recorded
 within 10 kilometres of your property.
- Mark the location of site evidence and identify species on the FOP map.

Recommended field equipment

You are likely to need the following equipment to carry out the field work:

- Binoculars (for viewing animal habitat sites high up in trees)
- · Tree marking tape or paint
- · Diameter tape
- Relascope or dendrometer (for measuring stand basal area)
- Global Positioning System (GPS) to help identify the location of features in the field
- Clinometer (for measuring the ground slope, road grade and tree height)
- 30–50 m tape measure
- Field note book (for recording site data).

Recommended field guidelines

OEH recommends you use the following guidelines when carrying out the field work:

- PNF Code of Practice Guideline No. 2: Protocol for re-evaluating old growth forest on private property
- PNF Code of Practice Guideline No. 4: Techniques for measuring stand height
- PNF Code of Practice Guideline No. 5: Techniques for measuring stand basal area
- Routine agricultural management activities on private native forestry land (factsheet)
- Silvicultural Guidelines Private Native Forestry Code of Practice
- PNF Field Guide for Cypress and Western Hardwood Forests.

Copies of these guidelines are free of charge and can be downloaded from the OEH website at www.environment.nsw.gov.au/pnf or you can obtain a copy by phoning OEH (toll free) on 131 555.

Guidelines for completing your FOP

FOP map checklist

When marking up the map use the symbols provided on the map, or create your own symbols.

- The 'FOP area' is the area in which the proposed forest operations will be carried out.
- For information about known record sites of listed threatened species see page 26 of these Guidelines.
- For information about **forest types** see the OEH Silvicultural Guidelines Private Native Forestry Code of Practice. Make sure the whole FOP area is shown as being covered by one (or more) of the broad forest types listed in the Code Table A.
- If you are unsure about whether there are Aboriginal objects or places within the FOP area, contact your local OEH office.
- If you are unsure about whether there are **listed heritage sites** within the FOP area, contact your local council.

1 Property Vegetation Plan

Your PNF PVP number is shown on the Private Native Forestry Property Vegetation Plan Agreement issued to you by OEH.

2 Forest operation planning and management

2.1 Landowner's details

If there is more than one landowner, include the contact details of the primary landowner, i.e. the landowner who will be most involved with the proposed forest operations.

2.2 Property details

The property's Deposited Plan (DP) and Lot numbers can be found on your Property Vegetation Plan Agreement. There may be many Lot numbers with the same DP number. Add extra pages if necessary.

2.3 Forest inventory

You are required to obtain information about the broad forest types and take field measurements to complete this section of the FOP. Not **all** your site measurements and calculations have to be recorded in the FOP. The specific information that you must record in order to comply with the Code is set out in the FOP template.

Broad forest type

Refer to the Code Table A.

Determine which of the forest types (referred to in the Code as 'broad forest types') are present within the FOP area and tick the appropriate boxes in the table.

For more information about how to classify your forest into these broad forest types, see the OEH Silvicultural Guidelines - Private Native Forestry Code of Practice.

Forest condition

Describe the current (i.e. pre-harvest) condition of each of the broad forest types in the FOP area using the descriptions below. Use the symbols below (Y, UG, UP, M and OG) to identify the forest condition:

- Young even-aged: Stands of young trees of a similar age having established within a short period of each other (e.g. in response to a fire). Small differences in age may not be of any practical significance and can be ignored.
- **UG Uneven-aged, with good quality re-growth and growth potential.** Stands of trees with an intermixture of species and ages with no obvious boundaries separating them, plus good quality regrowth trees that have good growth potential for future sawlog production.
- UP Uneven-aged poorer quality with an aged canopy, little regrowth and low growth potential.

 Stands of trees with an intermixture of species and ages with no obvious boundaries separating them but with poor quality trees with little to no growth potential and little regrowth.
- **M** Mature, even-aged, with a cross-section of merchantable trees. Even-aged stand with little to no regrowth.
- **OG Old growth.** Mature forest where the effects of disturbance are now negligible. For a full definition of old growth forest refer to the Code glossary.

For more information about how to describe forest condition refer to the OEH Silvicultural Guidelines - Private Native Forestry Code of Practice.

Species mix

List the species present for each broad forest type present in the FOP area. For example: the species mix might be described as 'Includes white cypress pine with the occasional western ironbark and a sparse shrub layer dominated by wattles'.

2.4 History of forest disturbance

Use the table to briefly describe what you know about how the forest has been disturbed in the past. Use the time intervals given in the table or add your own time intervals. You may need to list only one event or there may be several events that have had an impact on the forest condition.

Harvesting history

Provide a brief description of previous harvesting operations including information about target species, products taken and harvesting intensity. Use the following categories to describe harvesting intensity:

Light Light selective harvesting or thinning that removed only a small proportion of the stand basal

area - 30% or less.

Moderate Selective harvesting that removed about 30% to 60% of the stand basal area, including a

cross-section of trees in all merchantable size ranges, but left semi-mature to mature trees to

grow on.

Heavy Harvesting that removed most if not all merchantable trees or greater than 60% of the stand

basal area.

Fire history

Include both fuel reduction fires and bushfires. Use the following categories to describe fire intensity:

Light A mild prescribed or controlled burn, or very low intensity bushfire, that burnt groundcover,

had a minor impact on undergrowth and little or no impact on regeneration.

Moderate A bushfire that burnt groundcover and undergrowth but only resulted in mild scorching of

regeneration and little or no damage to the canopy and sub-canopy.

Severe A bushfire that destroyed groundcover and most or all of the undergrowth and regeneration,

and resulted in severe crown-scorching that damaged or killed trees in the canopy and sub-

canopy.

Grazing history

Provide a brief description of the grazing history, if known. For example, the grazing history might be:

'Former grazing land returned to forest in the late 1960s' or

'Lightly grazed in winter months every year'.

Other types of disturbance

Describe any other types of disturbance that have affected the current condition of the forest, e.g. ringbarking or weed control.

3 Silvicultural operations

The next few sections of the FOP template relate to harvesting. If your forest operations do not involve harvesting, go to section 4 of the FOP template. The following sections are self-explanatory.

3.1 Forest operations

Tick the appropriate boxes to indicate which activities will be carried out, etc. You may need to tick more than one box to answer each question.

3.2 Harvesting technique

Best practice tip

Before determining silvicultural practices for your harvesting activities – and for information about single tree selection or thinning – it may be useful to refer to the OEH *Silvicultural Guidelines - Private Native Forestry Code of Practice*. These Guidelines provide advice on the best silvicultural practices for various forest types in various conditions.

3.3 Timber products to be harvested

Add any other products that will be harvested if they are not listed here.

3.4 Timber species to be harvested

Add any other species that will be harvested if they are not listed here.

3.5 Harvesting methods and equipment

Add any other equipment or methods that will be used if they are not listed here.

3.6 Stand heights and stand basal areas

Refer to the Code sections 3.1 and 3.2.

Harvesting limits

This section of the FOP relates to harvesting limits. To comply with the Code you need to measure and record stand heights and basal areas for each broad forest type within the FOP area.

In the Code, harvesting limits for single tree selection and commercial thinning are governed by stand basal area.

Why set harvesting limits?

Harvesting limits are about maintaining the value of your asset. Working within the harvesting limits is one of the best ways of ensuring that your forest stays healthy and continues to be productive over the long term – providing there is adequate regeneration.

Field measurements

Not **all** your site measurements and calculations have to be recorded. The specific information that you must record in order to comply with the Code is set out in the FOP template.

Stand height

For each broad forest type that is present in the FOP area, you are required to measure the stand height. Within each broad forest type, consider the trees as being grouped into two stands:

- Trees that have a stand height of less than 25 m, and
- Trees that have a stand height equal to or greater than 25 m.

Different stand basal area limits apply, according to stand height and broad forest type.

Stand height is the average height of the dominant trees in the stand, which can be determined by averaging the height of the five tallest trees within the stand.

For how to measure stand height see *Private Native Forestry Code of Practice Guideline No. 4:* Techniques for measuring stand height.

Estimated stand basal area

For each broad forest type that is present in the FOP area, estimate the **pre-harvest** stand basal area. You will need to divide each broad forest type into stands that are less than 25 m high and stands that are equal to or greater than 25 m high.

Minimum stand basal area

Minimum stand basal areas for single tree selection and thinning operations, for each broad forest type and stand height combination, are set out in the Code Table A.

For how to measure stand basal area see *Private Native Forestry Code of Practice Guideline No. 5:* Techniques for measuring stand basal area.

3.7 Regeneration and stocking

Refer to the Code section 3.3.

Adequate levels of regeneration are determined by minimum stocking levels. The Code sets the minimum stand stocking levels which must be achieved within 36 months of a regeneration event, as defined by the Code.

Seedling regeneration may be greatly enhanced where there is a suitable seed bed, which can be created by either fire or mechanical disturbance. Mechanical disturbance will generally occur as part of the harvesting operation. Other activities such as a cool burn, seeding or planting seedlings can also aid in regeneration.

If additional regeneration activities are likely to be required, describe the activities you will carry out to promote regeneration. (Refer to the OEH Silvicultural Guidelines - Private Native Forestry Code of Practice for advice.)

4 Protection of the environment

4.1 Protection of landscape features of environmental and cultural significance

Refer to the Code section 4.1.

Certain landscape features must be protected in accordance with the Code section 4.1. For a definition of each of these features refer to the Code Table C and the Code glossary.

Indicate which landscape features are present in the FOP area. Tick all that apply.

Mark these landscape features on the FOP map if they are not already shown.

An indication of the likely location of some of these features may be shown on the first sketch map OEH sent you as part of the PVP application process.

Best practice tip: Indicating landscape features or zones around them - on site

Use tree marking symbols (see the 'Tree marking checklist' at the end of the FOP template) to mark the location of these landscape features on site, or the location of the required exclusion and buffer zones around these landscape features.

Aboriginal objects and places

Aboriginal objects and places must not be harmed when carrying out forestry and other activities. Aboriginal objects include physical objects, such as stone tools, scarred trees, material deposited on the land (e.g. middens) and ancestral remains. Aboriginal places are those areas that are considered of such special significance that they are declared and offered special protection. Landowners need to ensure they have taken the following steps to determine whether an Aboriginal object or place exists on their land:

- Check the Aboriginal Heritage Information System (AHIMS) database this can be done online at: <u>www.environment.nsw.gov.au/licences/AboriginalHeritageInformationManagementSystem.htm</u>
 or contact an OEH PNF Officer for an application.
- Undertake a property inspection and keep a written record such as a checklist an example of a checklist is available from your OEH PNF Officer.

If an Aboriginal object is found or is likely to be present then notify an OEH PNF Officer and complete an AHIMS recording form.

Avoid destroying, defacing, damaging or moving an Aboriginal object. If an activity is likely to cause harm then buffers will need to be applied around the object in accordance with the Code. If buffers cannot be applied, an Aboriginal Heritage Impact Permit (AHIP) is required (speak to your OEH PNF Officer).

If, after following the above procedures, a PNF PVP is issued and an Aboriginal object is subsequently found, you need to determine whether an AHIP is required or whether buffers should be applied.

For further information about legal requirements see: www.environment.nsw.gov.au/resources/cultureheritage/NPWAct/10701npwfacts1.pdf

4.2 Protection of habitat and biodiversity

Refer to the Code section 4.2.

Certain trees must be retained to protect fauna (animals and birds) in the FOP area. This section of the FOP needs to describe how you will indicate on site which trees must be retained.

The template sets out two options here: using tree marking, or using another method. You can tick one or both of these options. If you opt to use a method other than tree marking, you need to describe what that method is.

Before you decide which trees must be retained, refer to the definitions and conditions set out in the Code section 4.2. Which trees to retain depends on the type of tree (e.g. hollow bearing, recruitment, feed, roost, nest or food resource tree, collectively referred to as habitat trees) and also depends on retaining a certain number of trees within a specified area.

Hollow bearing and recruitment trees

Refer to the Code Table D.

Table D specifies how many hollow bearing and recruitment trees must be retained within the FOP area. If there are not enough Old Grey and hollow bearing trees, extra recruitment trees from the 'next cohort' (see below) must be retained so the total number meets the requirements of the Code Table D.

What is the 'next cohort'?

Recruitment trees are trees which will become the next generation of hollow bearing trees. Some of the recruitment trees that must be retained have to be 'from the next cohort'. In the Code Table D, 'cohort' refers to groups of trees according to their age. Of all the habitat trees in any area, hollow bearing trees are likely to be in the oldest age group. Recruitment trees 'from the next cohort' will be those from the second oldest age group, i.e. those most likely to provide the next batch of hollow bearing trees.

Feed, roost, nest and food resource trees

Refer to the Code Tables D and E.

Check the definitions of feed, roost, nest and food resource trees set out in the Code section 4.2. The Code Table E lists the feed trees that may be present. The Code Table D sets out how many feed trees are required to be retained within the FOP area.

- All feed trees that have marks or V-notches from sap-feeding mammals must be retained.
- All roost, nest and food resource trees must be retained.

Best practice tip: Tree marking

Use tree marking symbols (see the 'Tree marking checklist' at the end of the FOP template) to mark trees that must be retained.

You could also use this section of the FOP to record who is responsible for identifying and indicating which trees will be retained, e.g. whether this is the responsibility of the Landowner or the Contractor.

4.3 Minimising damage to retained trees and native vegetation

Refer to the Code section 4.3.

Check the definition of 'protected trees' in the Code section 4.3. All trees that have to be retained (as set out in the Code section 4.2) are defined as 'protected trees'.

In addition, there are three other genera that are defined as 'protected trees'. Indicate whether the protected trees listed in section 4.3 are present in the FOP area. Tick all that apply.

Indicate how protected trees will be shown on site.

Describe the management actions that will be used to minimise damage to protected trees.

4.4 Drainage feature protection

Refer to the Code section 4.4.

Drainage features (also referred to in the Code as streams or prescribed streams) must be protected in accordance with the Code section 4.4. You are required to protect drainage features by establishing riparian exclusion zones. Zone widths are set out in the Code Table F. Forest operations must not occur in riparian exclusion zones except for the purpose of crossing drainage features.

Why protect drainage features?

Protecting drainage features protects the value of your asset. It prevents soil erosion and maintains water quality and biodiversity values – and this is one of the most important things you can do to keep your land, your forest and waterways in good condition for the long term.

Mapped streams

The FOP base map issued by OEH shows the location of mapped streams. These are the natural flow channels that are marked on a topographic map published by the NSW Government. The width of riparian exclusion zones for mapped streams depends on stream order, as set out in the Code Table F.

Best practice tip: Unmapped drainage lines

The Code section 4.4 includes specific provisions for unmapped drainage lines. See the definition of 'drainage lines' in the Code glossary. If you find unmapped drainage lines in the field, it is advisable to mark them on the FOP map.

5 Construction and maintenance of forest infrastructure

Refer to the Code section 5.

Infrastructure used in the forest operations must comply with the Code section 5.

If you haven't already done so, mark the following infrastructure features on the FOP map:

- Roads the indicative locations of any new and existing roads that will be used in the forest operations
- Drainage feature crossings the indicative locations of any new and existing drainage feature crossings (e.g. bridges, causeways or culverts) that will be used in the forest operations.

Completing the tables

Use the tables in the FOP template to record how new and existing infrastructure will be constructed or upgraded so that it complies with the Code.

The information you set out in the tables should be sufficient to provide clear operational instructions for Contractors and other field operators.

Names and numbers used in the tables should correlate with the names and numbers used on the FOP map.

Provide further information on extra pages if necessary.

The following sample tables include tips about what the Code requires and typical examples of the type of information you might record in this section of the FOP:

5.1 Construction and maintenance of roads (and crossings)

Refer to the Code section 5.1.

New roads

New roads must be constructed in accordance with the Code section 5.1. All proposed new roads must be included in the table. More than one new road can be listed in each column of the table provided that the management prescriptions are the same for these roads.

- Explanatory notes are highlighted.
- Examples of typical answers or sample text are shown in *italics*.

New roads			
New road name or number: Allocate a name or number for each road	NR1, NR3, NR4	NR2	
Will clearing be required?	☑ Yes ☐ No	☐ Yes ☐ No	
If yes, describe the clearing required:	The new road line will be cleared to a width of 6 m. Debris will be stockpiled beneath the road next to the fill batter, but not forming part of the fill batter.		
How will groundcover be established over cleared areas?	Groundcover will be established through natural regeneration.	Groundcover will be established through natural regeneration.	
Generally groundcover will naturally regenerate on cleared areas provided the topsoil layer remains intact. If it is not likely that groundcover will establish naturally, state how groundcover will be established.	 ☑ Groundcover will be established as follows: The cleared areas above the road line will be revegetated with native seed. 	☐ Groundcover will be established as follows:	

New roads			
New road name or number: Allocate a name or number for each road	NR1, NR3, NR4	NR2	
Will the road grade exceed 10 degrees?	☑ Yes □ No	☐ Yes ☐ No	
New roads must be constructed, upgraded and maintained with a maximum grade of 10 degrees. The maximum grade may be increased to 15 degrees where it would result in an improved environmental outcome or to avoid difficult ground conditions. If the grade will exceed 10 degrees the reason must be noted below.			
If yes, the reason for the grade being greater than 10 degrees (but no more than 15 degrees) is:	A section of this road will have a grade of 14 degrees for a distance of 40 m to avoid a rocky outcrop.		
Is any section of the road located on ground with a slope greater than 25 degrees?	☑ Yes □ No	☐ Yes ☐ No	
If yes, this is because there is no practical alternate route available, and this section of the road must be designed by a suitably qualified person, according to the Code section 5.1 (17).			
How will fill or cut batters be stabilised?	A log will be placed at the toe of the fill batter to contain the		
Cut and fill batters will generally not require stabilising if they are constructed with an adequate grade. Fill batters will need adequate compaction during construction to ensure structural stability, and may require surface stabilisation to prevent erosion. If there is a steep side slope or soils are highly erodible, stabilisation works may be required.	earth fill for a length of 10 m on the western side of NR1.		

New roads		
New road name or number: Allocate a name or number for each road	NR1, NR3, NR4	NR2
How will soil erosion on roads be prevented? Minimising the length of water flow along roads is essential to prevent sediment pollution of streams. The Code Table G specifies the maximum distance that water may travel along road surfaces and table drains. State here how you propose to minimise water flow by ticking the appropriate box. Unless the road surface remains vegetated, constructed drains or effective outfall will be required. As outfall generally does not remain effective with heavy traffic flow, regular maintenance will be required.	 ☑ Maintaining vegetation cover ☐ Establishing grass cover ☐ Crossfall or shaping ☐ Drainage structure 	☐ Maintaining vegetation cover ☐ Establishing grass cover ☐ Crossfall or shaping ☐ Drainage structure
How will drainage be provided (e.g. what types of drainage structures will be used)? Examples include a rollover crossbank, spoon drain, rubber flap drain, or 'C' channel.	Spoon drains	
Will the road be stabilised and allowed to revegetate after this forest operation? 'Yes' indicates that the road will be allowed to revegetate to minimise sediment loss.	☑ Yes □ No	□ Yes □ No

Existing roads

Existing roads that will be used in the forest operations must be upgraded and maintained in accordance with the Code section 5.1. All existing roads that will be used in the proposed forest operations must be included in the table. More than one existing road can be listed in each column of the table provided that the management prescriptions are the same for these roads.

Existing roads		
Existing road name or number: Allocate a name or number for each road	ER1	ER2
Will clearing be required? If clearing of regrowth is required ensure the clearing is minimal.	☑ Yes □ No	☐ Yes ☐ No
If yes, describe the clearing required:	Regrowth clearing is required along this road. The cleared debris will be stockpiled below the road and will be burnt postharvest.	
How will groundcover be established over cleared areas? Generally groundcover will naturally regenerate on cleared areas provided the topsoil layer remains intact. If it is not likely that groundcover will establish naturally, state how groundcover will be established.	 □ Groundcover will be established through natural regeneration. ☑ Groundcover will be established as follows: The cleared areas above the road line will be revegetated with native seed. 	 Groundcover will be established through natural regeneration. Groundcover will be established as follows:
How will soil erosion on roads be prevented?	☐ Maintaining vegetation cover☑ Establishing grass cover☐ Crossfall or shaping☐ Drainage structure	☐ Maintaining vegetation cover ☐ Establishing grass cover ☐ Crossfall or shaping ☐ Drainage structure
Is the road surface shaped for infall or outfall?	☐ Infall ☑ Outfall	☐ Infall ☐ Outfall

Existing roads			
Existing road name or number: Allocate a name or number for each road	ER1	ER2	
Does the current (pre- harvest) road condition comply with the Code?	☐ Yes ☑ No	☐ Yes ☐ No	
Inspect each road line to ensure the roads comply with the Code.			
If not, what maintenance or upgrading work will be carried out to bring the road up to the Code standard?	The road has no drainage and is rutting. The road surface will be reshaped and drainage structures constructed.		
Describe the upgrading or maintenance work required.			
Is the existing drainage up to standard with the Code?	☑ Yes □ No	☐ Yes ☐ No	
If not how will drainage be provided (e.g. what types of drainage structures will be used)?	Spoon drains		
Examples include a rollover crossbank, spoon drain, rubber flap drain, or 'C' channel.			
Are fill and cut batters currently stable?	☑ Yes ☐ No	☐ Yes ☐ No	
Cut and fill batters will generally be stable along existing roads provided cut batters are not undercut and excessive earth material is not deposited on fill batters.			
If they are not stable, what work will be carried out to stabilise them?			
Will the road be stabilised and allowed to revegetate after this forest operation?	☑ Yes □ No	□ Yes □ No	
'Yes' indicates that the road will be allowed to revegetate to minimise sediment loss.			

New drainage feature crossings (e.g. bridges, causeways or culverts)

Refer to the Code section 5.1.2.

New drainage feature crossings must be constructed in accordance with the Code section 5.1.2. All proposed new drainage feature crossings must be included in the table.

The type of structure required depends on whether the stream flow is permanent or intermittent. If the flow is permanent, a bridge or culvert will generally be required which must be designed to convey a 1-in-5-year storm event and withstand a 1-in-10-year storm event. The crossing must also minimise disturbance to the passage of fish and other aquatic animals.

New drainage feature crossings			
New crossing name or number: Allocate a name or number for each new crossing	NC1	NC2	
What type of structure will be used (e.g. bridge, causeway, culvert)?	Culvert		
Stream crossings must be stable causeways, culverts or bridges. Existing 'gully stuffers' may be used if they are stable but new gully stuffer crossings must not be constructed. Refer to the Code glossary for the definition of a 'gully stuffer'.			
What material will be used for the base or surface of the crossing?	Crushed gravel		
Describe what stable material will form the base of the crossing surface. Causeways must be constructed of stable, nonsoil material such as crushed gravel, rock, bitumen, concrete, logs or other stable material that is unlikely to produce water turbidity.			
What construction work will be carried out to build the crossing?	Debris will be removed from the crossing and the crossing surface leveled in preparation		
Briefly describe the works required to construct the crossing.	for installing the culvert and crushed gravel. There will be no impediment to water flow during the construction of the crossing.		

New drainage feature crossings		
New crossing name or number: Allocate a name or number for each new crossing	NC1	NC2
What sediment and erosion control works will be carried out?	Exposed fill batters within the crossing will be hay mulched to aid revegetation.	
Describe the sediment and erosion control works you will carry out to prevent sediment pollution of the stream.	All loose soil material and debris will be removed from the crossing area.	
How will road drainage on the crossing approaches be provided?	Rollover crossbanks will be constructed on both approaches within 40 m of the crossing.	
Drainage of the road approaches is an important issue because poor drainage can lead to sediment pollution of streams. Describe what drainage structures will be required.		

Existing drainage feature crossings

Existing drainage feature crossings that will be used in the forest operations must be upgraded and maintained in accordance with the Code section 5.1.2. All existing drainage feature crossings that will be used in the proposed forest operations must be included in the table.

Existing drainage feature crossings			
Existing crossing name or number: Allocate a name or number for each existing crossing	EC1		
What type of structure will be used (e.g. bridge, causeway, culvert)? Examples include causeway, culvert, bridge or gully stuffer. Existing gully stuffers may be used if they are stable.	Causeway		
Does the crossing comply with the Code?	☐ Yes ☑ No	☐ Yes ☐ No	
If not, what maintenance or upgrading work will be carried out to bring the crossing up to the Code standard?	Gravel will be spread on the base of the causeway to stabilise the crossing surface. or The existing gully stuffer is not stable and is impeding flow in the drainage line. A new culvert crossing will be constructed.		
What sediment and erosion control works will be carried out? Describe the control works that will be required to prevent sediment pollution of the stream.	All exposed soil outside the road line and within 20 m of the crossing will be covered with forest debris or seed-free hay.		
How will road drainage on the crossing approaches be provided?	Rollover crossbanks will be constructed on both approaches within 40 m of the crossing.		
Drainage of the road approaches is an important issue with stream crossings because poor drainage can lead to sediment pollution of streams. Describe what drainage structures will be required.			

5.2 Log landings, portable mill sites and snig tracks

Refer to the Code section 5.2.

Log dumps, portable mill sites and snig tracks must be used and maintained in accordance with the Code section 5.2.

If you haven't already done so, mark on the FOP map all log dumps and portable mill sites that will be used in the forest operations.

Appendix: Listed species

Refer to the Code Appendix: Listed species ecological prescriptions.

Many of the standard conditions within the Code provide general protection for threatened species. For some threatened species you will need to apply additional prescriptions.

Those species that are considered to be potentially under threat from native forest harvesting are referred to as 'listed' species. For information about what you must do to further protect these listed species refer to the Code Appendix: 'Listed species ecological prescriptions' and make sure you understand the rules that apply to protect each of these species.

What are you expected to know?

There are two different ways of knowing about the presence of a listed species that you have to be aware of:

- There may be what is called a 'known record' of a listed species on or near your land. This means the name and location of a threatened species of plant or animal has been verified and recorded on the OEH database. OEH will have notified you if there is a known record of any listed species on your land, or within one kilometre of your land, as part of the PVP application process.
- There may be 'site evidence' of a listed species on your land. This means you may actually see a threatened plant or animal or find evidence, such as droppings or a nest, which indicates the presence of a threatened species. As part of the PVP application process, OEH will have sent you information about listed species known to be found within 10 kilometres of your land to emphasise the need to search for site evidence of those species. These provisions apply to plants as well as animals.
 - If you find site evidence of any listed species while forest operations are being carried out, you need to make sure the Code provisions to protect the listed species will be complied with. You may need to amend the FOP. Check with OEH if you are not sure what to do.

You must apply the additional threatened species prescriptions if there is a **known record** or **site evidence** of that species within the FOP area.

Management actions for listed species

The FOP map shows the location of all known records of listed species located within your PVP area, or within one kilometre of this area. These locations are referred to as 'record sites'. Due to a requirement of the OEH Wildlife Atlas Licence Agreement these species will not be named – only the record site location will be shown. The species must not be named in your FOP plan. However, listed species identified through site evidence may be named in your FOP plan, including being named on the map.

Use the table to provide details about how listed species within the FOP area will be protected. Provide further information on extra pages if necessary.

- · Explanatory notes are highlighted.
- Examples of typical answers or sample text are shown in *italics*.

Management actions for listed species		
Threatened plant or animal:	Record site 1:	Record site 2:
Does an exclusion zone apply to this species? If so, what is the exclusion zone?	50 m radius exclusion zone, measured from the record site.	
Does an exclusion zone apply? If so, state the width that applies.		
For plants, what % of individuals will be protected by the exclusion zone?	n.a.	
Is the threatened species a plant? If so, state what % of the plant population this exclusion zone applies to.		
Does a buffer zone apply to this species? If so, what is the buffer zone?	no	
Does a buffer apply? If so, state the width that applies.		
Do extra tree retention measures apply to this species? If so, what are the extra retention measures?	Within a 200 m radius of the record site, damage to stands of she-oaks with trees over 3 m in height and seed cones is to be	
If extra habitat trees are required to be retained within the buffer zone, specify the number of trees here.	minimised. She-oaks with evidence of foraging are to be protected.	

Management actions for listed species		
Threatened plant or animal:	Record site 1:	Record site 2:
If exclusion or buffer zones apply, how have they been marked in the field?	Zone indicated by trees marked with pink spray paint, which must be retained.	
Exclusion or buffer zones have to be marked in the field: see the Code Appendix, General conditions.		
Will other management actions be carried out? If so, what are they?	Disturbance to understorey trees and shrubs, ground logs, rocks and litter must be minimised.	
If the Code requires additional management actions, list them here.		

Best practice tips: Tree marking

- Use tree marking symbols (see the 'Tree marking checklist' at the end of the FOP template) to mark buffer zones and exclusion zones for listed species on site.
- You could use this listed species table as a checklist for the site marking that is required see the Code Appendix General conditions.

Tree marking checklist

Indicate any field markings that will be used to mark trees on site. Add any other markings that will be used if they are not listed here.

FOP sign off

Read this section of the FOP carefully and make sure that all the required signatures and other details are completed before work begins on site. This sign off applies to all new crew members working on site, including truck drivers for example.

OEH 2011/0450 June 2011