



Corporate Accreditation No 63
Accredited for compliance with ISO/IEC 17025 - Testing



Analytical Report 284807

Issue Date: 19/05/2023
Issued By : Sydney Water Laboratory Services

Delivery Address: Sydney Water Corporation
[Redacted]
West Ryde NSW 2114

Telephone: [Redacted]
Email: [Redacted]

Attention: [Redacted]
Customer: Department of Planning and Environment
Customer ID: ZOEH_1

Address: [Redacted]
Telephone: [Redacted]
Email: [Redacted]

CONTENTS

- 1. Sydney Water Approved Signatory
- 2. Sample Summary
- 3. Analytical results
- 4. Comments
- 5. Laboratory QC results

Sydney Water Approved Signatory

[Redacted], Phycology Analyst	[Redacted], Phycology Supervisor	[Redacted], Phycology Analyst
[Redacted], Organics Senior Analyst		

Where a result is required to meet a compliance limit or specification the associated uncertainty must be considered. Uncertainty estimates are available for all accredited test results.

SAMPLE SUMMARY

<u>Client Sample ID</u>	<u>Sample Number</u>	<u>Sampling Procedure</u>	<u>Date Sampled</u>	<u>Date Received</u>	<u>Date Authorised</u>	<u>Description</u>
232840	L23037167	1	30/04/2023	03/05/2023	18/05/2023	(WATER SAMPLE)
232841	L23037168	1	30/04/2023	03/05/2023	18/05/2023	(WATER SAMPLE)
232842	L23037169	1	30/04/2023	03/05/2023	18/05/2023	(WATER SAMPLE)
232843	L23037170	1	30/04/2023	03/05/2023	18/05/2023	(WATER SAMPLE)
232844	L23037171	1	30/04/2023	03/05/2023	18/05/2023	(WATER SAMPLE)
232845	L23037172	1	30/04/2023	03/05/2023	18/05/2023	(WATER SAMPLE)
232846	L23037173	1	30/04/2023	03/05/2023	18/05/2023	(WATER SAMPLE)
232847	L23037174	1	30/04/2023	03/05/2023	18/05/2023	(WATER SAMPLE)
232856	L23037175	1	30/04/2023	03/05/2023	09/05/2023	(WATER SAMPLE)
232857	L23037176	1	30/04/2023	03/05/2023	09/05/2023	(WATER SAMPLE)
232858	L23037177	1	30/04/2023	03/05/2023	09/05/2023	(WATER SAMPLE)
232859	L23037178	1	30/04/2023	03/05/2023	09/05/2023	(WATER SAMPLE)
232860	L23037179	1	30/04/2023	03/05/2023	09/05/2023	(WATER SAMPLE)
232861	L23037180	1	30/04/2023	03/05/2023	09/05/2023	(WATER SAMPLE)
232862	L23037181	1	30/04/2023	03/05/2023	09/05/2023	(WATER SAMPLE)
232863	L23037182	1	30/04/2023	03/05/2023	09/05/2023	(WATER SAMPLE)

Sampling procedures

- 1 Samples analysed as received.
- 2 Samples collected as per FS procedures SAWI 070, Excluding Oil & Grease which is collected as per clients instructions.
- 3 Samples collected as per FS procedures SAWI 070.
- 4 Results reported as received from WNSW.

ANALYTICAL RESULTS

Client Sample ID	232840	232841	232842	232843	232844	232845	232846	232847
Sampled Date	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM
Sample Number	L23037167	L23037168	L23037169	L23037170	L23037171	L23037172	L23037173	L23037174

ALGAL

MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes

Blue Green ASU	ASU/mL	4189	3440	1896	2510	2237	2780	3029	7456
Blue Green Biovol	mm3/L	2.18	3.15	1.45	0.729	2.06	0.792	2.77	1.92
Potentially Toxic Blue Green	cells/mL	278	208	1610	156	1200	364	0	0
Potentially Toxic Blue Green ASU	ASU/mL	19.2	14.4	54.6	5.89	58.8	13.8	0.00	0.00
Potentially Toxic Blue Green Biovol	mm3/L	0.032	0.024	0.058	0.004	0.073	0.01	0.000	0.000
Total Blue Green	cells/mL	2069000	1456000	875900	1215000	995200	1401000	1441000	3933000

MA91 : Individual Species Total Count, Total BioVol, Total ASU

Algae Source*	N/A	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL
Date of Performance	DD/MM/YY	18/05/23 00:00	18/05/23 00:00	18/05/23 00:00	18/05/23 00:00	18/05/23 00:00	18/05/23 00:00	18/05/23 00:00	18/05/23 00:00

* Indicates NATA accreditation does not cover the performance of this service

Client Sample ID		232856	232857	232858	232859	232860	232861	232862	232863
Sampled Date		30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM
Sample Number		L23037175	L23037176	L23037177	L23037178	L23037179	L23037180	L23037181	L23037182
ORGANICS									
TC0049DW : Algal Toxins									
Anatoxin-a(extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Anatoxin-a(intracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Anatoxin-a(total)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cylindrospermopsin (extra cellular)	ug/L	0.08	0.08	0.08	0.08	<0.05	0.10	0.07	<0.05
Cylindrospermopsin (intra cellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Cylindrospermopsin(total)	ug/L	0.09	0.08	0.10	0.10	<0.05	0.10	0.08	<0.05
Microcystin LR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin LR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin LR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin RR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05

* Indicates NATA accreditation does not cover the performance of this service

Client Sample ID	232856	232857	232858	232859	232860	232861	232862	232863
Sampled Date	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM
Sample Number	L23037175	L23037176	L23037177	L23037178	L23037179	L23037180	L23037181	L23037182

ORGANICS

TC0049DW : Algal Toxins(Continued)

Microcystin RR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin RR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin YR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin YR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin YR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Nodularin (extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Nodularin (intracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Nodularin (total)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Date of Performance	DD/MM/YY	05/05/23	05/05/23	05/05/23	05/05/23	05/05/23	05/05/23	05/05/23	05/05/23

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS

C1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
----	------	------	------	------	------	------	------	------	------

* Indicates NATA accreditation does not cover the performance of this service

Client Sample ID	232856	232857	232858	232859	232860	232861	232862	232863
Sampled Date	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM
Sample Number	L23037175	L23037176	L23037177	L23037178	L23037179	L23037180	L23037181	L23037182

ORGANICS

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)

C2	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
dcGTX2	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
dcGTX3	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
dcNeo	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
dcSTX	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
GTX1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
GTX2	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1
GTX3	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
GTX4	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
GTX5	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
GTX6	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
Neosaxitoxin	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3

* Indicates NATA accreditation does not cover the performance of this service

Client Sample ID		232856	232857	232858	232859	232860	232861	232862	232863
Sampled Date		30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM	30/04/2023 12:00:00 AM
Sample Number		L23037175	L23037176	L23037177	L23037178	L23037179	L23037180	L23037181	L23037182
ORGANICS									
TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)									
Saxitoxin	ug/L	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4
Date of Performance	DD/MM/YY	09/05/23	09/05/23	09/05/23	09/05/23	09/05/23	09/05/23	09/05/23	09/05/23

COMMENTS

<u>Sample ID</u>	<u>Comment Level</u>	<u>Method</u>	<u>Test</u>	<u>Comment</u>
L23037167	Method	MA91	-	Debris present in the sample.
L23037168	Method	MA91	-	Debris present in the sample.
L23037169	Method	MA91	-	Debris present in the sample.
L23037170	Method	MA91	-	Debris present in the sample.
L23037171	Method	MA91	-	Debris present in the sample.
L23037172	Method	MA91	-	Debris present in the sample.
L23037173	Method	MA91	-	Debris present in the sample.
L23037174	Method	MA91	-	Sample contained debris and cells resembling bacteria.

* Indicates NATA accreditation does not cover the performance of this service

LABORATORY QC RESULTS

N/A - Not Applicable

PQL - Practical Quantitation Limit

LOQ - Limit of Quantification

RPD - Relative Percent Difference

SPIKE/Positive Control - Addition of a known amount and concentration

Duplicate Precision = Accepted - Result 2 within 95% confidence limits of result 1

Duplicate Precision = Outlier - Result 2 outside 95% confidence limits of result 1

Duplicate Precision = Not calculated - Result is outside test range

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Anatoxin-a(extracellular)						
<0.1 ug/L	<0.1	91 <i>50.0 - 120.0 ug/L</i>	94 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.1	<0.1	B <i>0.0 - 0.0 %</i>
TC0049DW Anatoxin-a(intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B <i>0.0 - 0.0 %</i>
TC0049DW Anatoxin-a(total)						
<0.1 ug/L	F		E	<0.1	<0.1	B <i>0.0 - 0.0 %</i>
TC0049DW Cyindrospermopsin (extracellular)						
<0.05 ug/L	<0.05	88 <i>50.0 - 120.0 ug/L</i>	91 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.05	<0.05	B <i>0.0 - 0.0 %</i>
TC0049DW Cyindrospermopsin (intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B <i>0.0 - 0.0 %</i>
TC0049DW Cyindrospermopsin(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin LR(extracellular)						
<0.05 ug/L	<0.05	70 50.0 - 120.0 ug/L	62 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin LR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin LR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(extracellular)						
<0.05 ug/L	<0.05	71 50.0 - 120.0 ug/L	70 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin YR(extracellular)						
<0.05 ug/L	<0.05	74 50.0 - 120.0 ug/L	66 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin YR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin YR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Nodularin (extracellular)						
<0.1 ug/L	<0.1	71 50.0 - 120.0 ug/L	70 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (total)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0061DW C1						
<0.5 ug/L	<0.5	130 70.0 - 130.0 ug/L	85 % Recovery 50.0 - 130.0 % Recovery	<0.5	<0.5	B 0.0 - 0.0 %
TC0061DW C2						
<0.3 ug/L	<0.3	120 70.0 - 130.0 ug/L	84 % Recovery 50.0 - 130.0 % Recovery	<0.3	<0.3	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW dcGTX2						
<0.5 ug/L	<0.5	130 <i>70.0 - 130.0 ug/L</i>	83 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW dcGTX3						
<0.3 ug/L	<0.3	130 <i>70.0 - 130.0 ug/L</i>	93 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW dcNeo						
<0.5 ug/L	<0.5	130 <i>70.0 - 130.0 ug/L</i>	64 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW dcSTX						
<0.5 ug/L	<0.5	130 <i>70.0 - 130.0 ug/L</i>	60 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX1						
<0.5 ug/L	<0.5	120 <i>70.0 - 130.0 ug/L</i>	77 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX2						
<1 ug/L	<1	130 <i>70.0 - 130.0 ug/L</i>	81 % Recovery <i>50.0 - 130.0 % Recovery</i>	<1	<1	B <i>0.0 - 0.0 %</i>
TC0061DW GTX3						
<0.5 ug/L	<0.5	99 <i>70.0 - 130.0 ug/L</i>	84 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW GTX4						
<0.3 ug/L	<0.3	120 <i>70.0 - 130.0 ug/L</i>	76 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW GTX5						
<0.5 ug/L	<0.5	110 <i>70.0 - 130.0 ug/L</i>	81 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX6						
<0.3 ug/L	<0.3	130 <i>70.0 - 130.0 ug/L</i>	100 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Neosaxitoxin						
<0.3 ug/L	<0.3	130 <i>70.0 - 130.0 ug/L</i>	79 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Saxitoxin						
<0.4 ug/L	<0.4	130 <i>70.0 - 130.0 ug/L</i>	61 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.4	<0.4	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

Extra Note:

F: Blank is not applicable for this analyte

E: Spike is not applicable for this analyte

DUPLICATE Anatoxin-a(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cyndrospermopsin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cyndrospermopsin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cyndrospermopsin(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcNeo B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcSTX B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX4 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX5 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX6 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Neosaxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Saxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

* Indicates NATA accreditation does not cover the performance of this service

* Indicates NATA accreditation does not cover the performance of this service