Licence - 2261

Licence Details Number: Anniversary Date:

2261 01-January

Licensee

BORAL RESOURCES (COUNTRY) PTY. LIMITED

PO BOX 42

WENTWORTHVILLE NSW 2145

Premises

BORAL COUNTRY - CONCRETE & QUARRIES

NORTH TEVEN ROAD

TEVEN NSW 2478

Scheduled Activity

Crushing, grinding or separating

Extractive activities

Fee Based Activity

Crushing, grinding or separating

Land-based extractive activity

Region

North - North Coast NSW Govt Offices, 49 Victoria Street GRAFTON NSW 2460 Phone: (02) 6640 2500 Fax: (02) 6642 7743

PO Box 498 GRAFTON

NSW 2460




 > 100000-500000 T annual processing capacity > 100000-500000 T annual capacity to extract, process or store 	<u>Scale</u>
> 100000-500000 T annual capacity	> 100000-500000 T annual
	processing capacity
to extract, process or store	> 100000-500000 T annual capacity
	to extract, process or store

Section 55 Protection of the Environment Operations Act 1997

Environment Protection Licence

Licence - 2261



q

Licence - 2261



6	REPORTING CONDITIONS	12
R1	Annual return documents	12
R2	Notification of environmental harm	13
R3	Written report	13
7	GENERAL CONDITIONS	14
G1	Copy of licence kept at the premises or plant	14
8	POLLUTION STUDIES AND REDUCTION PROGRAMS	14
U1	U1. Assessment of the current sediment and erosion controls	14
U2	2 U2. Installation of sediment and erosion measures	15
U3	U3. Minimise erosion from the flow of storm-water out of the premises	15
DIC	TIONARY	16
Ge	eneral Dictionary	16

Licence - 2261



Information about this licence

Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 132 of the Act);
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

Fees and annual return to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).

Licence - 2261



The EPA publication "A Guide to Licensing" contains information about how to calculate your licence fees. The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

This licence is issued to:

BORAL RESOURCES (COUNTRY) PTY. LIMITED

PO BOX 42

WENTWORTHVILLE NSW 2145

subject to the conditions which follow.

Licence - 2261



1 Administrative Conditions

A1 What the licence authorises and regulates

A1.1 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

Scheduled Activity	Fee Based Activity	Scale
Crushing, grinding or separating	Crushing, grinding or separating	> 100000 - 500000 T annual processing capacity
Extractive activities	Land-based extractive activity	> 100000 - 500000 T annual capacity to extract, process or store

A2 Premises or plant to which this licence applies

A2.1 The licence applies to the following premises:

Premises Details
BORAL COUNTRY - CONCRETE & QUARRIES
NORTH TEVEN ROAD
TEVEN
NSW 2478
LOT 105 DP 1038360

A3 Information supplied to the EPA

A3.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

a) the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and

b) the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.

Licence - 2261



2 Discharges to Air and Water and Applications to Land

P1 Location of monitoring/discharge points and areas

- P1.1 The following utilisation areas referred to in the table below are identified in this licence for the purposes of the monitoring and/or the setting of limits for any application of solids or liquids to the utilisation area.
- P1.2 The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.

	Water and land		
EPA Identi- fication no.	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Discharge quality monitoring	Discharge quality monitoring	Discharge to table drain beside North Teven Raod labelled 'Licensed discharge point No 1' on Water Management map provided to the EPA on 19 March 2001

3 Limit Conditions

L1 Pollution of waters

- L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.
- L1.2 The licensee must take all practical measures to avoid or minimise oil and grease, TSS etc. contained in wet weather discharges.
- L1.3 Discharge of runoff exceeding the quality limits in L2.4 to waters from the premises is permitted when the discharge occurs solely as a result of rainfall at the premises exceeding a total of 63.2 millimetres over any consecutive five day period.

L2 Concentration limits

- L2.1 For each monitoring/discharge point or utilisation area specified in the table\s below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.
- L2.2 Where a pH quality limit is specified in the table, the specified percentage of samples must be within the specified ranges.
- L2.3 To avoid any doubt, this condition does not authorise the pollution of waters by any pollutant other than those specified in the table\s.
- L2.4 Water and/or Land Concentration Limits

Licence - 2261



POINT 1

Pollutant	Units of Measure	50 percentile concentration limit	90 percentile concentration limit	3DGM concentration limit	100 percentile concentration limit
рН	рН				6.5 - 8.5
Total suspended solids	milligrams per litre				50

L2.5 The concentration limits in the above table do not apply to any discharge from the final sediment basin arising from rainfall exceeding 63.2mm in total falling over any consecutive five day period

L3 Noise limits

L3.1 To determine compliance with condition(s) L4.3 and L4.4

a) Airblast overpressure and ground vibration levels must be measured at most affected residence or noise sensitive location that is not owned by the licensee or subject to a private agreement between the owner of the residence or noise sensitive location and the licensee as to an alternative overpressure level. airblast overpressure and ground vibration levels for all blasts carried out in or on the premises; and
b) Instrumentation used to measure the - must meet the requirements of Australian Standard 2187.2 of 1993.

L4 Blasting

- L4.1 Blasting in or on the premises must only be carried out between 0900 hours and 1700 hours, Monday to Saturday. Blasting in or on the premises must not take place on Sundays or Public Holidays without the prior approval of the EPA.
- L4.2 Blasting at the premises is limited to 1 blast on each day on which blasting is permitted.
- L4.3 The airblast overpressure level from blasting operations in or on the premises must not exceed:

a) 115 dB (Lin Peak) for more than 5% of the total number of blasts during each reporting period; and b) 120 dB (Lin Peak) at any time.

At most affected residence or noise sensitive location that is not owned by the licensee or subject to a private agreement between the owner of the residence or noise sensitive location and the licensee as to an alternative overpressure level.

L4.4 The ground vibration peak particle velocity from blasting operations carried out in or on the premises must not exceed:

Licence - 2261



a) 5mm/s for more than 5% of the total number of blasts carried out on the premises during each reporting period; and

b) 10 mm/s at any time.

At most affected residence or noise sensitive location that is not owned by the licensee or subject to a private agreement between the owner of the residence or noise sensitive location and the licensee as to an alternative overpressure level.

L5 Hours of operation

L5.1 Activities covered by this licence must only be carried out between the hours of 0700 and 1800 Monday to Friday, and 0700 and 1500 Saturday, and at no time on Sundays and Public Holidays.

4 Operating Conditions

O1 Activities must be carried out in a competent manner

O1.1 Licensed activities must be carried out in a competent manner. This includes:

a) the processing, handling, movement and storage of materials and substances used to carry out the activity; and

b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

O2 Maintenance of plant and equipment

O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity: a) must be maintained in a proper and efficient condition; and

b) must be operated in a proper and efficient manner.

O3 Dust

O3.1 The premises must be maintained in a condition which minimises or prevents the emission of dust from the premises.

O4 Processes and management

O4.1 Sediment Basins shall be treated, if required, to reduce the Total Suspended Solids level to the licenced concentration limit before being discharged to the environment. Treatment can be with gypsum or any other material that has been approved by the EPA.

O4.2 Each sedimentation basin must have a marker (the "sedimentation basin marker") that identifies the upper

Licence - 2261



level of the sediment storage zone.

- O4.3 Whenever the level of liquid and other material in any sedimentation basin exceeds the level indicated by the sedimentation basin marker, the licensee must take all practical measures as soon as possible to reduce the level of liquid and other material in the sedimentation basin.
- O4.4 The licensee must ensure the design storage capacity of the sediment basins installed on the premises is reinstated within 5 days of the cessation of a rainfall event that causes runoff to occur on or from the premises.
- O4.5 The licensee must maximise the diversion of stormwater runoff containing suspended solids to sediment basins installed on the premises.
- O4.6 The sediment basins must meet the design and operational standards of *Managing Urban Stormwater Soils and Construction: Volume 1 and Volume 2 E. Mines and quarries.* This document requires that at a minimum 90 percentile five-day rainfall event be used to determine basin sizing for quarries.
- O4.7 The sediment basins must meet the design and operational standards of *Managing Urban Stormwater Soils and Construction: Volume 1 and Volume 2 E. Mines and quarries.* This document requires that at a minimum 90 percentile five-day rainfall event be used to determine basin sizing for quarries.

O5 Waste management

O5.1 The licensee must have in place and implement procedures to identify and prevent the disposal of any waste not permitted by this licence to be disposed of at the premises.

5 Monitoring and Recording Conditions

M1 Monitoring records

- M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.
- M1.2 All records required to be kept by this licence must be:
 - a) in a legible form, or in a form that can readily be reduced to a legible form;
 - b) kept for at least 4 years after the monitoring or event to which they relate took place; and
 - c) produced in a legible form to any authorised officer of the EPA who asks to see them.
- M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:
 - a) the date(s) on which the sample was taken;
 - b) the time(s) at which the sample was collected;
 - c) the point at which the sample was taken; and
 - d) the name of the person who collected the sample.

Licence - 2261



M2 Requirement to monitor concentration of pollutants discharged

- M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:
- M2.2 Water and/ or Land Monitoring Requirements

POINT 1

Pollutant	Units of measure	Frequency	Sampling Method
рН	рН	Daily during any discharge	Grab sample
Total suspended solids	milligrams per litre	Daily during any discharge	Grab sample

M3 Testing methods - concentration limits

M3.1 Subject to any express provision to the contrary in this licence, monitoring for the concentration of a pollutant discharged to waters or applied to a utilisation area must be done in accordance with the Approved Methods Publication unless another method has been approved by the EPA in writing before any tests are conducted.

M4 Environmental monitoring

- M4.1 The licensee is required to install and maintain a rainfall depth measuring device.
- M4.2 Rainfall at the premises must be measured and recorded in millimetres per 24 hour period, at the same time each day.
- Note: The rainfall monitoring data collected in compliance with Condition M4.2 can be used to determine compliance with L2.5.

M5 Recording of pollution complaints

- M5.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.
- M5.2 The record must include details of the following:
 - a) the date and time of the complaint;
 - b) the method by which the complaint was made;

c) any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;

Licence - 2261



d) the nature of the complaint;

e) the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and

f) if no action was taken by the licensee, the reasons why no action was taken.

- M5.3 The record must be produced to any authorised officer of the EPA who asks to see them.
- M5.4 The record of a complaint must be kept for at least 4 years after the complaint was made.

M6 Telephone complaints line

- M6.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.
- M6.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.
- M6.3 The preceding two conditions do not apply until 3 months after: the date of the issue of this licence.

6 Reporting Conditions

R1 Annual return documents

- R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising: 1. a Statement of Compliance,
 - 2. a Monitoring and Complaints Summary,
 - 3. a Statement of Compliance Licence Conditions,
 - 4. a Statement of Compliance Load based Fee,
 - 5. a Statement of Compliance Requirement to Prepare Pollution Incident Response Management Plan,
 - 6. a Statement of Compliance Requirement to Publish Pollution Monitoring Data; and
 - 7. a Statement of Compliance Environmental Management Systems and Practices.

At the end of each reporting period, the EPA will provide to the licensee a copy of the form that must be completed and returned to the EPA.

- R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.
- R1.3 Where this licence is transferred from the licensee to a new licensee:

a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and

b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.

R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must

Licence - 2261



prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:

a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or

b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.

- R1.5 The Annual Return for the reporting period must be supplied to the EPA via eConnect *EPA* or by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').
- R1.6 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.
- R1.7 Within the Annual Return, the Statements of Compliance must be certified and the Monitoring and Complaints Summary must be signed by:a) the licence holder; orb) by a person approved in writing by the EPA to sign on behalf of the licence holder.
- R1.8 The results of the blast monitoring required by condition L3.1 must be submitted to the EPA at the end of each reporting period.
- R1.9 The licensee must report any exceedence of the licence blasting limits to the regional office of the EPA as soon as practicable after the exceedence becomes known to the licensee or to one of the licensee's employees or agents.
- Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period.
- Note: An application to transfer a licence must be made in the approved form for this purpose.

R2 Notification of environmental harm

- R2.1 Notifications must be made by telephoning the Environment Line service on 131 555.
- R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which the incident occurred.
- Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.

R3 Written report

R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:
a) where this licence applies to premises, an event has occurred at the premises; or
b) where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence, and the event has caused, is causing or is likely to cause material harm to the environment (whether the

Licence - 2261



harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.

- R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.
- R3.3 The request may require a report which includes any or all of the following information: a) the cause, time and duration of the event;

b) the type, volume and concentration of every pollutant discharged as a result of the event;

c) the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;

d) the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort;

e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants;

f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and

g) any other relevant matters.

R3.4 The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

7 General Conditions

G1 Copy of licence kept at the premises or plant

- G1.1 A copy of this licence must be kept at the premises to which the licence applies.
- G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.
- G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.

8 Pollution Studies and Reduction Programs

U1 U1. Assessment of the current sediment and erosion controls

U1.1 A suitably qualified and experienced expert must assess the current sediment and erosion controls at Boral Teven quarry and identify the need for any upgrades to ensure compliance with the required standards (*Managing Urban Stormwater: Soils and Construction: Volume 1* and *Managing Urban Stormwater Volume 2E Mines and Quarries*) (the Guidelines).

A report detailing the results of the assessment and any necessary upgrades must be prepared and include:

Licence - 2261



A. Review of clean water diversions.

• Review of the current sediment and erosion control on site and provide recommendations for the design of any required upgrades.

Review the type and adequacy of sediment and erosion controls including clean water diversions at all stages of quarrying and rehabilitation at the site.

The report is to be submitted to the EPA by **16 December 2016**. The report can be sent to the EPA at PO Box 498 Grafton NSW 2460 or emailed to north.coast@epa.nsw.gov.au

U2 U2. Installation of sediment and erosion measures

U2.1 The sediment and erosion measures identified in report prepared in compliance with PRPU1 are to be installed and operational by **30 April 2017**. The licensee is to provide written confirmation by **COB 30 April 2017** that all required sediment and erosion controls have been completed in accordance with the recommendations made in the report identified in PRP U1.

U3 U3. Minimise erosion from the flow of storm-water out of the premises.

U3.1 The licensee is to engage with the Works Maintenance Engineer at Ballina Shire Council to identify options to minimise erosion from the flow of storm-water out of the premises.

A written report documenting the outcomes of this process is to be submitted to the EPA by **16 December 2016**. The report can be sent to the EPA at PO Box 498 Grafton NSW 2460 or emailed to north.coast@epa.nsw.gov.au

Licence - 2261



Dictionary

General Dictionary

3DGM [in relation to a concentration limit]	Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples	
Act	Means the Protection of the Environment Operations Act 1997	
activity	Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997	
actual load	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009	
АМ	Together with a number, means an ambient air monitoring method of that number prescribed by the Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales.	
AMG	Australian Map Grid	
anniversary date	The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.	
annual return	Is defined in R1.1	
Approved Methods Publication	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009	
assessable pollutants	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009	
BOD	Means biochemical oxygen demand	
CEM	Together with a number, means a continuous emission monitoring method of that number prescribed by the Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales.	
COD	Means chemical oxygen demand	
composite sample	Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume.	
cond.	Means conductivity	
environment	Has the same meaning as in the Protection of the Environment Operations Act 1997	
environment protection legislation	Has the same meaning as in the Protection of the Environment Administration Act 1991	
EPA	Means Environment Protection Authority of New South Wales.	
fee-based activity classification	Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 2009.	
general solid waste (non-putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997	

Licence - 2261



flow weighted composite sample	Means a sample whose composites are sized in proportion to the flow at each composites time of collection.
general solid waste (putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environmen t Operations Act 1997
grab sample	Means a single sample taken at a point at a single time
hazardous waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
licensee	Means the licence holder described at the front of this licence
load calculation protocol	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
local authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
material harm	Has the same meaning as in section 147 Protection of the Environment Operations Act 1997
MBAS	Means methylene blue active substances
Minister	Means the Minister administering the Protection of the Environment Operations Act 1997
mobile plant	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
motor vehicle	Has the same meaning as in the Protection of the Environment Operations Act 1997
O&G	Means oil and grease
percentile [in relation to a concentration limit of a sample]	Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.
plant	Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles.
pollution of waters [or water pollution]	Has the same meaning as in the Protection of the Environment Operations Act 1997
premises	Means the premises described in condition A2.1
public authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
regional office	Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence
reporting period	For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
restricted solid waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
scheduled activity	Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997
special waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
тм	Together with a number, means a test method of that number prescribed by the Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales.

Licence - 2261



TSP	Means total suspended particles
TSS	Means total suspended solids
Type 1 substance	Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements
Type 2 substance	Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements
utilisation area	Means any area shown as a utilisation area on a map submitted with the application for this licence
waste	Has the same meaning as in the Protection of the Environment Operations Act 1997
waste type	Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non - putrescible), special waste or hazardous waste

Mr Nigel Sargent

Environment Protection Authority

(By Delegation)

Date of this edition: 22-October-1999

Licence - 2261



End Notes

- 1 Licence varied by notice V/M upgrade, issued on 08-Jul-2000, which came into effect on 08-Jul-2000.
- 2 Licence varied by notice V/M upgrade, issued on 08-Jul-2000, which came into effect on 08-Jul-2000.
- 3 Licence varied by notice 9493, issued on 13-Mar-2000, which came into effect on 03-Apr-2000.
- 4 Licence varied by notice 008841, issued on 23-Nov-1999, which came into effect on 18-Dec-1999.
- 5 Licence varied by notice 1014198, issued on 25-Mar-2002, which came into effect on 19-Apr-2002.
- 6 Licence varied by notice 1045873, issued on 09-May-2005, which came into effect on 03-Jun-2005.
- 7 Condition A1.3 Not applicable varied by notice issued on <issue date> which came into effect on <effective date>
- 8 Licence varied by notice 1509575 issued on 07-Dec-2012
- 9 Licence varied by notice 1544360 issued on 23-Sep-2016
- 10 Licence fee period changed by notice 1546006 on 25-Oct-2016