



Corporate Accreditation No 63
Accredited for compliance with ISO/IEC 17025 - Testing



Analytical Report 287134

Issue Date: 30/06/2023
Issued By : [REDACTED], Commercial Client Representative

Delivery Address: Sydney Water Corporation
[REDACTED]
West Ryde NSW 2114

Telephone: [REDACTED]
Email: [REDACTED]

Attention: [REDACTED]
Customer: Department of Planning and Environment
Customer ID: ZOEH_1

Address: [REDACTED]
Telephone: [REDACTED]
Email: [REDACTED]

CONTENTS

1. Sydney Water Approved Signatory
2. Sample Summary
3. Analytical results
4. Comments
5. Laboratory QC results

Sydney Water Approved Signatory

[REDACTED], Phycology Analyst	[REDACTED] Phycology Analyst	[REDACTED], Organics Analyst
-------------------------------	------------------------------	------------------------------

Where a result is required to meet a compliance limit or specification the associated uncertainty must be considered. Uncertainty estimates are available for all accredited test results.

SAMPLE SUMMARY

<u>Client Sample ID</u>	<u>Sample Number</u>	<u>Sampling Procedure</u>	<u>Date Sampled</u>	<u>Date Received</u>	<u>Date Authorised</u>	<u>Description</u>
E8-3	L23050844	1	14/06/2023	19/06/2023	22/06/2023	235197
E9-3	L23050845	1	14/06/2023	19/06/2023	22/06/2023	235198
E10-3	L23050846	1	14/06/2023	19/06/2023	22/06/2023	235199
B4-3	L23050847	1	14/06/2023	19/06/2023	22/06/2023	235200
E6-3	L23050848	1	14/06/2023	19/06/2023	22/06/2023	235201
E6.5-3	L23050849	1	14/06/2023	19/06/2023	22/06/2023	235202
E7-3	L23050850	1	14/06/2023	19/06/2023	22/06/2023	235203
E8-6	L23050851	1	14/06/2023	19/06/2023	28/06/2023	235218
E9-6	L23050852	1	14/06/2023	19/06/2023	29/06/2023	235219
E10-6	L23050853	1	14/06/2023	19/06/2023	28/06/2023	235220
B4-6	L23050854	1	14/06/2023	19/06/2023	29/06/2023	235221
E6-6	L23050855	1	14/06/2023	19/06/2023	29/06/2023	235222
E6.5-6	L23050856	1	14/06/2023	19/06/2023	30/06/2023	235223
E7-6	L23050857	1	14/06/2023	19/06/2023	30/06/2023	235224

Sampling procedures

- 1 Samples analysed as received.
- 2 Samples collected as per FS procedures SAWI 070, Excluding Oil & Grease which is collected as per clients instructions.
- 3 Samples collected as per FS procedures SAWI 070.
- 4 Results reported as received from WNSW.

ANALYTICAL RESULTS

Client Sample ID	E8-3	E9-3	E10-3	B4-3	E6-3	E6.5-3	E7-3	E8-6
Sampled Date	14/06/2023 09:59:00 PM	14/06/2023 10:18:00 AM	14/06/2023 11:27:00 AM	14/06/2023 01:42:00 PM	14/06/2023 03:00:00 PM	14/06/2023 04:00:00 PM	14/06/2023 04:32:00 PM	14/06/2023 09:38:00 AM
Sample Number	L23050844	L23050845	L23050846	L23050847	L23050848	L23050849	L23050850	L23050851

ALGAL

MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes

Blue Green ASU	ASU/mL	-	-	-	-	-	-	-	1805
Blue Green Biovol	mm3/L	-	-	-	-	-	-	-	0.433
Potentially Toxic Blue Green	cells/mL	-	-	-	-	-	-	-	0
Potentially Toxic Blue Green ASU	ASU/mL	-	-	-	-	-	-	-	0.00
Potentially Toxic Blue Green Biovol	mm3/L	-	-	-	-	-	-	-	0.000
Total Blue Green	cells/mL	-	-	-	-	-	-	-	941900

MA91 : Individual Species Total Count, Total BioVol, Total ASU

Algae Source*	N/A	-	-	-	-	-	-	-	EXTERNAL
Date of Performance	DD/MM/YY								28/06/23 00:00

ORGANICS

TC0049DW : Algal Toxins

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	E8-3	E9-3	E10-3	B4-3	E6-3	E6.5-3	E7-3	E8-6
Sampled Date	14/06/2023 09:59:00 PM	14/06/2023 10:18:00 AM	14/06/2023 11:27:00 AM	14/06/2023 01:42:00 PM	14/06/2023 03:00:00 PM	14/06/2023 04:00:00 PM	14/06/2023 04:32:00 PM	14/06/2023 09:38:00 AM
Sample Number	L23050844	L23050845	L23050846	L23050847	L23050848	L23050849	L23050850	L23050851

ORGANICS

TC0049DW : Algal Toxins(Continued)

Cylindrospermopsin (extra cellular)	ug/L	<0.05	0.08	0.29	<0.05	2.4	2.2	0.90	-
Cylindrospermopsin (intra cellular)	ug/L	<0.05	<0.05	0.10	<0.05	<0.05	0.40	<0.05	-
Anatoxin-a(extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	-
Anatoxin-a(intracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	0.5	<0.1	<0.1	-
Nodularin (extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	-
Nodularin (intracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	-
Microcystin RR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Microcystin YR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Microcystin LR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Microcystin LR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-

* Indicates NATA accreditation does not cover the performance of this service

"- " = Not required or refer to Laboratory comment

Client Sample ID	E8-3	E9-3	E10-3	B4-3	E6-3	E6.5-3	E7-3	E8-6
Sampled Date	14/06/2023 09:59:00 PM	14/06/2023 10:18:00 AM	14/06/2023 11:27:00 AM	14/06/2023 01:42:00 PM	14/06/2023 03:00:00 PM	14/06/2023 04:00:00 PM	14/06/2023 04:32:00 PM	14/06/2023 09:38:00 AM
Sample Number	L23050844	L23050845	L23050846	L23050847	L23050848	L23050849	L23050850	L23050851

ORGANICS

TC0049DW : Algal Toxins(Continued)

Microcystin YR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Microcystin RR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Anatoxin-a(total)	ug/L	<0.1	<0.1	<0.1	<0.1	0.5	<0.1	<0.1	-
Cylindrospermopsin(total)	ug/L	<0.05	0.10	0.39	<0.05	2.4	2.6	0.92	-
Microcystin LR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Microcystin RR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Microcystin YR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-
Nodularin (total)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	-
Date of Performance	DD/MM/YY	20/06/23	20/06/23	20/06/23	20/06/23	20/06/23	20/06/23	20/06/23	

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS

Saxitoxin	ug/L	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	-
Neosaxitoxin	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	-

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	E8-3	E9-3	E10-3	B4-3	E6-3	E6.5-3	E7-3	E8-6
Sampled Date	14/06/2023 09:59:00 PM	14/06/2023 10:18:00 AM	14/06/2023 11:27:00 AM	14/06/2023 01:42:00 PM	14/06/2023 03:00:00 PM	14/06/2023 04:00:00 PM	14/06/2023 04:32:00 PM	14/06/2023 09:38:00 AM
Sample Number	L23050844	L23050845	L23050846	L23050847	L23050848	L23050849	L23050850	L23050851

ORGANICS

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)

dcSTX	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
C2	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	-
GTX4	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	-
GTX3	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
GTX5	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
dcNeo	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
dcGTX3	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	-
GTX6	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	-
GTX2	ug/L	<1	<1	<1	<1	<1	<1	<1	-
GTX1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
C1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
dcGTX2	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-

* Indicates NATA accreditation does not cover the performance of this service

"-" = Not required or refer to Laboratory comment

Client Sample ID	E8-3	E9-3	E10-3	B4-3	E6-3	E6.5-3	E7-3	E8-6
Sampled Date	14/06/2023 09:59:00 PM	14/06/2023 10:18:00 AM	14/06/2023 11:27:00 AM	14/06/2023 01:42:00 PM	14/06/2023 03:00:00 PM	14/06/2023 04:00:00 PM	14/06/2023 04:32:00 PM	14/06/2023 09:38:00 AM
Sample Number	L23050844	L23050845	L23050846	L23050847	L23050848	L23050849	L23050850	L23050851
ORGANICS								
Date of Performance	DD/MM/YY	21/06/23	21/06/23	21/06/23	21/06/23	21/06/23	21/06/23	21/06/23

Client Sample ID	E9-6	E10-6	B4-6	E6-6	E6.5-6	E7-6		
Sampled Date	14/06/2023 10:17:00 AM	14/06/2023 11:28:00 AM	14/06/2023 12:42:00 PM	14/06/2023 03:00:00 PM	14/06/2023 04:00:00 PM	14/06/2023 04:32:00 PM		
Sample Number	L23050852	L23050853	L23050854	L23050855	L23050856	L23050857		

ALGAL

MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes

Blue Green ASU	ASU/mL	1435	6791	1926	7959	11300	6112		
Blue Green Biovol	mm3/L	1.32	8.08	0.726	10.15	13.11	2.56		
Potentially Toxic Blue Green	cells/mL	10770	32970	1180	13410	51890	6370		
Potentially Toxic Blue Green ASU	ASU/mL	446.7	1766	102.5	354.2	1841	245		
Potentially Toxic Blue Green Biovol	mm3/L	0.533	3.59	0.204	0.352	1.72	0.198		
Total Blue Green	cells/mL	306400	1166000	955300	1355000	3533000	2931000		

* Indicates NATA accreditation does not cover the performance of this service

Client Sample ID		E9-6	E10-6	B4-6	E6-6	E6.5-6	E7-6		
Sampled Date		14/06/2023 10:17:00 AM	14/06/2023 11:28:00 AM	14/06/2023 12:42:00 PM	14/06/2023 03:00:00 PM	14/06/2023 04:00:00 PM	14/06/2023 04:32:00 PM		
Sample Number		L23050852	L23050853	L23050854	L23050855	L23050856	L23050857		
ALGAL									
MA91 : Individual Species Total Count, Total BioVol, Total ASU									
Algae Source*	N/A	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL		
Date of Performance	DD/MM/YY	29/06/23 00:00	28/06/23 00:00	29/06/23 00:00	29/06/23 00:00	30/06/23 00:00	30/06/23 00:00		

COMMENTS

<u>Sample ID</u>	<u>Comment Level</u>	<u>Method</u>	<u>Test</u>	<u>Comment</u>
L23050851	Method	MA91	-	Debris present in the sample.
L23050852	Method	MA91	-	Debris present in the sample.
L23050853	Method	MA91	-	Debris present in the sample.
L23050854	Method	MA91	-	Debris present in the sample.
L23050855	Method	MA91	-	Debris present in the sample.
L23050856	Method	MA91	-	Debris present in the sample.
L23050857	Method	MA91	-	Debris present in the sample.

* Indicates NATA accreditation does not cover the performance of this service

LABORATORY QC RESULTS

N/A - Not Applicable

PQL - Practical Quantitation Limit

LOQ - Limit of Quantification

RPD - Relative Percent Difference

SPIKE/Positive Control - Addition of a known amount and concentration

Duplicate Precision = Accepted - Result 2 within 95% confidence limits of result 1

Duplicate Precision = Outlier - Result 2 outside 95% confidence limits of result 1

Duplicate Precision = Not calculated - Result is outside test range

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Anatoxin-a(extracellular)						
<0.1 ug/L	<0.1	120 50.0 - 120.0 ug/L	87 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Anatoxin-a(intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Anatoxin-a(total)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Cylindrospermopsin (extracellular)						
<0.05 ug/L	<0.05	91 50.0 - 120.0 ug/L	71 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Cylindrospermopsin (intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Cylindrospermopsin(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin LR(extracellular)						
<0.05 ug/L	<0.05	89 50.0 - 120.0 ug/L	70 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin LR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin LR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(extracellular)						
<0.05 ug/L	<0.05	98 50.0 - 120.0 ug/L	76 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin YR(extracellular)						
<0.05 ug/L	<0.05	110 50.0 - 120.0 ug/L	74 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin YR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin YR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Nodularin (extracellular)						
<0.1 ug/L	<0.1	94 50.0 - 120.0 ug/L	79 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (total)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0061DW C1						
<0.5 ug/L	<0.5	110 70.0 - 130.0 ug/L	85 % Recovery 50.0 - 130.0 % Recovery	<0.5	<0.5	B 0.0 - 0.0 %
TC0061DW C2						
<0.3 ug/L	<0.3	110 70.0 - 130.0 ug/L	85 % Recovery 50.0 - 130.0 % Recovery	<0.3	<0.3	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW dcGTX2						
<0.5 ug/L	<0.5	110 <i>70.0 - 130.0 ug/L</i>	59 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW dcGTX3						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	72 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW dcNeo						
<0.5 ug/L	<0.5	100 <i>70.0 - 130.0 ug/L</i>	73 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW dcSTX						
<0.5 ug/L	<0.5	110 <i>70.0 - 130.0 ug/L</i>	56 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX1						
<0.5 ug/L	<0.5	110 <i>70.0 - 130.0 ug/L</i>	54 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX2						
<1 ug/L	<1	110 <i>70.0 - 130.0 ug/L</i>	69 % Recovery <i>50.0 - 130.0 % Recovery</i>	<1	<1	B <i>0.0 - 0.0 %</i>
TC0061DW GTX3						
<0.5 ug/L	<0.5	100 <i>70.0 - 130.0 ug/L</i>	75 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW GTX4						
<0.3 ug/L	<0.3	120 <i>70.0 - 130.0 ug/L</i>	54 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW GTX5						
<0.5 ug/L	<0.5	120 <i>70.0 - 130.0 ug/L</i>	85 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX6						
<0.3 ug/L	<0.3	130 <i>70.0 - 130.0 ug/L</i>	120 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Neosaxitoxin						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	78 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Saxitoxin						
<0.4 ug/L	<0.4	110 <i>70.0 - 130.0 ug/L</i>	73 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.4	<0.4	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

Extra Note:

F: Blank is not applicable for this analyte

E: Spike is not applicable for this analyte

DUPLICATE Anatoxin-a(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cylindrospermopsin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cylindrospermopsin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cylindrospermopsin(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcNeo B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcSTX B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX4 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX5 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX6 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Neosaxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Saxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

* Indicates NATA accreditation does not cover the performance of this service

* Indicates NATA accreditation does not cover the performance of this service