

Point	Point Id	Pollutant	Pollutant Id	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Monitoring Point 3	3	Cadmium		milligrams per cubic metre	Every 6 months	2	0.0002	0.0014	0.0025
Monitoring Point 3	3	Chlorine		milligrams per cubic metre	Every 6 months	2	0.01	0.01	0.01
Monitoring Point 3	3	Fluorine		milligrams per cubic metre	Every 6 months	2	8.9	10.0	11.0
Monitoring Point 3	3	Hydrogen chloride		milligrams per cubic metre	Every 6 months	2	10.0	11.0	12.0
Monitoring Point 3	3	Mercury		milligrams per cubic metre	Every 6 months	2	0.0014	0.0015	0.0016
Monitoring Point 3	3	Nitrogen Oxides		milligrams per cubic metre	Continuous when generating	99.9%	129.8	563.7	1026.3
Monitoring Point 3	3	Solid Particles		milligrams per cubic metre	Quarterly	4	6.8	13.2	17.0
Monitoring Point 3	3	Sulfur dioxide		milligrams per cubic metre	Continuous when generating	99.9%	550.7	1019.1	1430.9
Monitoring Point 3	3	Sulfuric acid mist and sulfur trioxide (as SO3)		milligrams per cubic metre	Every 6 months	2	4.0	5.9	7.8
Monitoring Point 3	3	Type 1 and Type 2 substances in aggregate		milligrams per cubic metre	Every 6 months	2	0.02	0.02	0.02
Monitoring Point 3	3	volatile organic compounds as n-propane equivalent		milligrams per cubic metre	Every 6 months	2	0.06	0.16	0.26
Monitoring Point 4	4	Cadmium		milligrams per cubic metre	Every 6 months	2	0.0002	0.0003	0.0004
Monitoring Point 4	4	Chlorine		milligrams per cubic metre	Every 6 months	2	0.01	0.02	0.04
Monitoring Point 4	4	Fluorine		milligrams per cubic metre	Every 6 months	2	8.9	13.0	17.0
Monitoring Point 4	4	Hydrogen Chloride		milligrams per cubic metre	Every 6 months	2	13.0	15.5	18.0
Monitoring Point 4	4	Mercury		milligrams per cubic metre	Every 6 months	2	0.0023	0.0026	0.0028
Monitoring Point 4	4	Nitrogen Oxides		milligrams per cubic metre	Continuous when generating	99.9%	76.8	540.9	1267.4
Monitoring Point 4	4	Solid Particles		milligrams per cubic metre	Quarterly	4	4.3	8.5	12.0
Monitoring Point 4	4	Sulfur dioxide		milligrams per cubic metre	Continuous when generating	99.9%	178.0	1003.9	1431.0
Monitoring Point 4	4	Sulfuric acid mist and sulfur trioxide (as SO3)		milligrams per cubic metre	Every 6 months	2	3.5	4.5	5.5
Monitoring Point 4	4	Type 1 and Type 2 substances in aggregate		milligrams per cubic metre	Every 6 months	2	0.01	0.01	0.01
Monitoring Point 4	4	volatile organic compounds as n-propane equivalent		milligrams per cubic metre	Every 6 months	2	0.04	0.05	0.07
Monitoring Point 5	5	Cadmium		milligrams per cubic metre	Every 6 months	2	0.0002	0.0002	0.0002
Monitoring Point 5	5	Chlorine		milligrams per cubic metre	Every 6 months	2	0.00	0.02	0.04
Monitoring Point 5	5	Fluorine		milligrams per cubic metre	Every 6 months	2	8.3	11.7	15.0
Monitoring Point 5	5	Hydrogen chloride		milligrams per cubic metre	Every 6 months	2	11.0	12.5	14.0
Monitoring Point 5	5	Mercury		milligrams per cubic metre	Every 6 months	2	0.0029	0.0036	0.0043
Monitoring Point 5	5	Nitrogen Oxides		milligrams per cubic metre	Continuous when generating	99.3%	170.5	581.2	1011.3
Monitoring Point 5	5	Solid Particles		milligrams per cubic metre	Quarterly	4	9.3	18.6	40.0
Monitoring Point 5	5	Sulfur dioxide		milligrams per cubic metre	Continuous when generating	99.3%	517.1	1006.5	1412.0
Monitoring Point 5	5	Sulfuric acid mist and sulfur trioxide (as SO3)		milligrams per cubic metre	Every 6 months	2	5.2	6.7	8.1
Monitoring Point 5	5	Type 1 and Type 2 substances in aggregate		milligrams per cubic metre	Every 6 months	2	0.02	0.02	0.03
Monitoring Point 5	5	volatile organic compounds as n-propane equivalent		milligrams per cubic metre	Every 6 months	2	0.04	0.05	0.067
Monitoring Point 6	6	Cadmium		milligrams per cubic metre	Every 6 months	2	0.0002	0.0002	0.0002
Monitoring Point 6	6	Chlorine		milligrams per cubic metre	Every 6 months	2	0.01	0.02	0.04
Monitoring Point 6	6	Fluorine		milligrams per cubic metre	Every 6 months	2	10.0	16.0	22.0
Monitoring Point 6	6	Hydrogen chloride		milligrams per cubic metre	Every 6 months	2	15.0	17.0	19.0
Monitoring Point 6	6	Mercury		milligrams per cubic metre	Every 6 months	2	0.0003	0.0018	0.0032
Monitoring Point 6	6	Nitrogen Oxides		milligrams per cubic metre	Continuous when generating	100.0%	137.3	650.1	1064.3
Monitoring Point 6	6	Solid Particles		milligrams per cubic metre	Quarterly	4	3.9	9.7	13.0
Monitoring Point 6	6	Solid Particles		milligrams per cubic metre	Continuous	99.9%	2.9	11.2	49.9
Monitoring Point 6	6	Sulfur dioxide		milligrams per cubic metre	Continuous when generating	100.0%	510.6	1047.5	1497.8
Monitoring Point 6	6	Sulfuric acid mist and sulfur trioxide (as SO3)		milligrams per cubic metre	Every 6 months	2	3.2	3.2	3.2
Monitoring Point 6	6	Type 1 and Type 2 substances in aggregate		milligrams per cubic metre	Every 6 months	2	0.03	0.04	0.05
Monitoring Point 6	6	volatile organic compounds as n-propane equivalent		milligrams per cubic metre	Every 6 months	2	0.10	0.30	0.49
Monitoring Point 7	7	Cadmium		milligrams per cubic metre		2	0.0002	0.0002	0.0003
Monitoring Point 7	7	Carbon dioxide		percent		2	9	8.7	12.5
Monitoring Point 7	7	Chlorine		milligrams per cubic metre		2	0.01	0.01	0.01
Monitoring Point 7	7	Flow rate		cubic metres per second		-	-	-	-
Monitoring Point 7	7	Fluorine		milligrams per cubic metre		2	8.9	10.0	11.0

Monitoring Point 7	7	Hydrogen chloride	milligrams per cubic metre	2	2	10.0	11.0	12.0
Monitoring Point 7	7	Mercury	milligrams per cubic metre	2	2	0.0006	0.0012	0.0017
Monitoring Point 7	7	Moisture	percent	-	-	-	-	-
Monitoring Point 7	7	Nitrogen Oxides	milligrams per cubic metre	Continuous	99.8%	1.0	536.7	964.1
Monitoring Point 7	7	Oxygen (O2)	percent	Continuous	100.0%	6.4	7.5	9.7
Monitoring Point 7	7	Solid Particles	milligrams per cubic metre	4	4	6.6	9.8	14.0
Monitoring Point 7	7	Sulfur dioxide	milligrams per cubic metre	Continuous	99.7%	15.6	989.3	1689.0
Monitoring Point 7	7	Sulfuric acid mist and sulfur trioxide (as SO3)	milligrams per cubic metre	2	2	4.0	5.9	7.8
Monitoring Point 7	7	Temperature	degrees Celsius	-	-	-	-	-
Monitoring Point 7	7	Type 1 and Type 2 substances in aggregate	milligrams per cubic metre	2	2	0.01	0.01	0.02
Monitoring Point 7	7	volatile organic compounds as n-propane equivalent	milligrams per cubic metre	2	2	0.06	0.16	0.26
Monitoring Point 8	8	Cadmium	milligrams per cubic metre	2	2	0.0002	0.0046	0.0091
Monitoring Point 8	8	Flow rate	cubic metres per second	-	-	-	-	-
Monitoring Point 8	8	Mercury	milligrams per cubic metre	2	2	0.002	0.002	0.002
Monitoring Point 8	8	Moisture	percent	-	-	-	-	-
Monitoring Point 8	8	Oxygen (O2)	percent	Continuous	90.4%	5.2	6.4	8.4
Monitoring Point 8	8	Solid Particles	milligrams per cubic metre	4	4	6.9	16.5	22.0
Monitoring Point 8	8	Temperature	degrees Celsius	-	-	-	-	-
Monitoring Point 8	8	Type 1 and Type 2 substances in aggregate	milligrams per cubic metre	2	2	0.0095	0.01	0.020
Monitoring Point 9	9	Cadmium	milligrams per cubic metre	2	2	0.00025	0.00072	0.00120
Monitoring Point 9	9	Flow rate	cubic metres per second	-	-	-	-	-
Monitoring Point 9	9	Mercury	milligrams per cubic metre	2	2	0.0025	0.00255	0.0026
Monitoring Point 9	9	Moisture	percent	-	-	-	-	-
Monitoring Point 9	9	Oxygen (O2)	percent	Continuous	96.5%	7.8	8.8	11.1
Monitoring Point 9	9	Solid Particles	milligrams per cubic metre	4	4	7	8.475	9.5
Monitoring Point 9	9	Temperature	degrees Celsius	-	-	-	-	-
Monitoring Point 9	9	Type 1 and Type 2 substances in aggregate	milligrams per cubic metre	2	2	0.0115	0.013	0.0145
Monitoring Point 10	10	Cadmium	milligrams per cubic metre	2	2	0.0002	0.0002	0.0003
Monitoring Point 10	10	Carbon dioxide	percent	2	9	9.7	10.8	11.9
Monitoring Point 10	10	Chlorine	milligrams per cubic metre	2	2	0.010	0.024	0.04
Monitoring Point 10	10	Flow rate	cubic metres per second	-	-	-	-	-
Monitoring Point 10	10	Fluorine	milligrams per cubic metre	2	2	8.9	13.0	17.0
Monitoring Point 10	10	Hydrogen chloride	milligrams per cubic metre	2	2	13.0	15.5	18.0
Monitoring Point 10	10	Mercury	milligrams per cubic metre	2	2	0.0021	0.0025	0.0029
Monitoring Point 10	10	Moisture	percent	-	-	-	-	-
Monitoring Point 10	10	Nitrogen Oxides	milligrams per cubic metre	Continuous	96.1%	97.3	518.8	8185.6
Monitoring Point 10	10	Oxygen (O2)	percent	Continuous	100.0%	7.7	9	10.8
Monitoring Point 10	10	Solid Particles	milligrams per cubic metre	4	4	2.0	8.5	14.0
Monitoring Point 10	10	Sulfur dioxide	milligrams per cubic metre	Continuous	96.0%	303.2	904.8	2471.0
Monitoring Point 10	10	Sulfuric acid mist and sulfur trioxide (as SO3)	milligrams per cubic metre	2	2	3.5	4.5	5.5
Monitoring Point 10	10	Temperature	degrees Celsius	-	-	-	-	-
Monitoring Point 10	10	Type 1 and Type 2 substances in aggregate	milligrams per cubic metre	2	2	0.0095	0.0103	0.0110
Monitoring Point 10	10	volatile organic compounds as n-propane equivalent	milligrams per cubic metre	2	2	0.04	0.05	0.07
Monitoring Point 11	11	Cadmium	milligrams per cubic metre	2	2	0.00015	0.00017	0.0002
Monitoring Point 11	11	Carbon dioxide	percent	2	9	8.7	10.65556	12.3
Monitoring Point 11	11	Chlorine	milligrams per cubic metre	2	2	0.0045	0.02425	0.044
Monitoring Point 11	11	Flow rate	cubic metres per second	-	-	-	-	-
Monitoring Point 11	11	Fluorine	milligrams per cubic metre	2	2	8.3	11.65	15
Monitoring Point 11	11	Hydrogen chloride	milligrams per cubic metre	2	2	11	12.5	14
Monitoring Point 11	11	Mercury	milligrams per cubic metre	2	2	0.0021	0.0031	0.0041
Monitoring Point 11	11	Moisture	percent	-	-	-	-	-
Monitoring Point 11	11	Nitrogen Oxides	milligrams per cubic metre	Continuous	95.6%	9.8	571.2	2263.8
Monitoring Point 11	11	Oxygen (O2)	percent	Continuous	96.7%	6	7.3	13.1

Monitoring Point 11	11	Solid Particles	milligrams per cubic metre	4	4	8	15.5	32
Monitoring Point 11	11	Sulfur dioxide	milligrams per cubic metre	Continuous	95.6%	65.1	984.6	3988.8
Monitoring Point 11	11	Sulfuric acid mist and sulfur trioxide (as SO3)	milligrams per cubic metre	2	2	5.2	6.65	8.1
Monitoring Point 11	11	Temperature	degrees Celsius	-	-	-	-	-
Monitoring Point 11	11	Type 1 and Type 2 substances in aggregate	milligrams per cubic metre	2	2	0.011	0.013	0.015
Monitoring Point 11	11	volatile organic compounds as n-propane equivalent	milligrams per cubic metre	2	2	0.035	0.051	0.067
Monitoring Point 12	12	Cadmium	milligrams per cubic metre	2	2	0.00036	0.00039	0.00041
Monitoring Point 12	12	Flow rate	cubic metres per second	-	-	-	-	-
Monitoring Point 12	12	Mercury	milligrams per cubic metre	2	2	0.0036	0.00405	0.0045
Monitoring Point 12	12	Moisture	percent	-	-	-	-	-
Monitoring Point 12	12	Oxygen (O2)	percent	Continuous	100.0%	8.1	9.6	19.6
Monitoring Point 12	12	Solid Particles	milligrams per cubic metre	4	4	6.9	21.225	47
Monitoring Point 12	12	Temperature	degrees Celsius	-	-	-	-	-
Monitoring Point 12	12	Type 1 and Type 2 substances in aggregate	milligrams per cubic metre	2	2	0.016	0.02925	0.0425
Monitoring Point 13	13	Cadmium	milligrams per cubic metre	2	2	0.00020	0.00020	0.00020
Monitoring Point 13	13	Flow rate	cubic metres per second	-	-	-	-	-
Monitoring Point 13	13	Mercury	milligrams per cubic metre	2	2	0.0009	0.0025	0.0041
Monitoring Point 13	13	Moisture	percent	-	-	-	-	-
Monitoring Point 13	13	Oxygen (O2)	percent	Continuous	99.9%	7.6	8.9	12.8
Monitoring Point 13	13	Solid Particles	milligrams per cubic metre	4	4	5.1	8.5	11.0
Monitoring Point 13	13	Temperature	degrees Celsius	-	-	-	-	-
Monitoring Point 13	13	Type 1 and Type 2 substances in aggregate	milligrams per cubic metre	2	2	0.0155	0.04025	0.065
Monitoring Point 14	14	Cadmium	milligrams per cubic metre	2	2	0.00015	0.00017	0.00020
Monitoring Point 14	14	Carbon dioxide	percent	2	9	8.8	10.0	10.9
Monitoring Point 14	14	Chlorine	milligrams per cubic metre	2	2	0.01	0.02	0.04
Monitoring Point 14	14	Flow rate	cubic metres per second	-	-	-	-	-
Monitoring Point 14	14	Fluorine	milligrams per cubic metre	2	2	10.0	16.0	22.0
Monitoring Point 14	14	Hydrogen chloride	milligrams per cubic metre	2	2	15.0	17.0	19.0
Monitoring Point 14	14	Mercury	milligrams per cubic metre	2	2	0.0003	0.0014	0.0025
Monitoring Point 14	14	Moisture	percent	-	-	-	-	-
Monitoring Point 14	14	Nitrogen Oxides	milligrams per cubic metre	Continuous	99.8%	82.9	663.4	1299.2
Monitoring Point 14	14	Oxygen (O2)	percent	Continuous	100.0%	7.3	8.3	12.5
Monitoring Point 14	14	Solid Particles	milligrams per cubic metre	4	4	2.6	10.2	15.0
Monitoring Point 14	14	Sulfur dioxide	milligrams per cubic metre	Continuous	99.9%	54.3	1108.1	1923.1
Monitoring Point 14	14	Sulfuric acid mist and sulfur trioxide (as SO3)	milligrams per cubic metre	2	2	3.2	3.2	3.2
Monitoring Point 14	14	Temperature	degrees Celsius	-	-	-	-	-
Monitoring Point 14	14	Type 1 and Type 2 substances in aggregate	milligrams per cubic metre	2	2	0.040	0.053	0.065
Monitoring Point 14	14	volatile organic compounds as n-propane equivalent	milligrams per cubic metre	2	2	0.10	0.30	0.49
Monitoring Point 16	16	Nitrogen Oxides	parts per hundred million	Continuous	95.7%	0.1	1.6	10.2
Monitoring Point 16	16	Sulfur dioxide	parts per hundred million	Continuous	95.0%	0.0	0.1	4.3
Monitoring Point 17	17	Fluorides	micrograms per cubic metre	Continuous	100.0%	0.00	0.02	0.09
Monitoring Point 17	17	Nitrogen Oxides	parts per hundred million	Continuous	95.5%	0.0	1.4	14.2
Monitoring Point 17	17	Sulfur dioxide	parts per hundred million	Continuous	94.0%	0.0	0.1	7.3
Monitoring Point 18	18	Fluorides	micrograms per cubic metre	Continuous	94.1%	0.00	0.02	0.05
Monitoring Point 18	18	Nitrogen Oxides	parts per hundred million	Continuous	93.7%	0.0	3.6	26.2
Monitoring Point 18	18	Sulfur dioxide	parts per hundred million	Continuous	93.7%	0.0	0.2	8.9
Discharge & Monitoring Point 19	19	Conductivity	microsiemens per centimetre	Continuous during discharge	99.0%	1	3158	4141
Discharge & Monitoring Point 19	19	Oil and Grease	milligrams per litre	26	26	1.0	1.1	2.0
Discharge & Monitoring Point 19	19	pH	pH	Continuous during discharge	99.0%	6.5	8.2	9.0
Discharge & Monitoring Point 20	20	Oil and Grease	milligrams per litre	26	52	1.0	1.1	3.0
Discharge & Monitoring Point 20	20	Total suspended solids	milligrams per litre	26	52	2.5	3.1	13.0
Discharge & Monitoring Point 21	21	Boron	milligrams per litre	Weekly during any discharge	43	1.18	2.32	3.69
Discharge & Monitoring Point 21	21	Cadmium	milligrams per litre	Weekly during any discharge	43	0.0001	0.0001	0.0002

Discharge & Monitoring Point 21	21	Conductivity	microsiemens per centimetre	Continuous during discharge	100.0%	1860	2728	6480
Discharge & Monitoring Point 21	21	Copper	milligrams per litre	Weekly during any discharge	43	0.0005	0.0059	0.2000
Discharge & Monitoring Point 21	21	Iron	milligrams per litre	Weekly during any discharge	43	0.03	0.22	1.40
Discharge & Monitoring Point 21	21	Molybdenum	milligrams per litre	Weekly during any discharge	43	0.086	0.213	0.382
Discharge & Monitoring Point 21	21	Nickel	milligrams per litre	Weekly during any discharge	43	0.0030	0.0086	0.0710
Discharge & Monitoring Point 21	21	pH	pH	Weekly during any discharge	43	7.7	8.3	9.0
Discharge & Monitoring Point 21	21	Silver	milligrams per litre	Weekly during any discharge	43	0.0005	0.0005	0.0005
Discharge & Monitoring Point 23	23	Conductivity	microsiemens per centimetre	Continuous during discharge	100.0%	2832	2843	2857
Discharge & Monitoring Point 23	23	pH	pH	Daily during discharge	1	8.4	8.4	8.4
Discharge & Monitoring Point 23	23	Total suspended solids	milligrams per litre	Monthly during discharge	1	6.0	6.0	6.0
Discharge & Monitoring Point 24	24	Boron	milligrams per litre	Weekly during any discharge	-	-	-	-
Discharge & Monitoring Point 24	24	Cadmium	milligrams per litre	Weekly during any discharge	-	-	-	-
Discharge & Monitoring Point 24	24	Conductivity	microsiemens per centimetre	Continuous during discharge	-	-	-	-
Discharge & Monitoring Point 24	24	Copper	milligrams per litre	Weekly during any discharge	-	-	-	-
Discharge & Monitoring Point 24	24	Iron	milligrams per litre	Weekly during any discharge	-	-	-	-
Discharge & Monitoring Point 24	24	Molybdenum	milligrams per litre	Weekly during any discharge	-	-	-	-
Discharge & Monitoring Point 24	24	Nickel	milligrams per litre	Weekly during any discharge	-	-	-	-
Discharge & Monitoring Point 24	24	pH	pH	Weekly during any discharge	-	-	-	-
Discharge & Monitoring Point 24	24	Silver	milligrams per litre	Weekly during any discharge	-	-	-	-
Discharge & Monitoring Point 24	24	Total suspended solids	milligrams per litre	Monthly during discharge	-	-	-	-
Discharge & Monitoring Point 25	25	Boron	milligrams per litre	Weekly during any discharge	-	-	-	-
Discharge & Monitoring Point 25	25	Cadmium	milligrams per litre	Weekly during any discharge	-	-	-	-
Discharge & Monitoring Point 25	25	Conductivity	microsiemens per centimetre	Continuous during discharge	-	-	-	-
Discharge & Monitoring Point 25	25	Copper	milligrams per litre	Weekly during any discharge	-	-	-	-
Discharge & Monitoring Point 25	25	Iron	milligrams per litre	Weekly during any discharge	-	-	-	-
Discharge & Monitoring Point 25	25	Molybdenum	milligrams per litre	Weekly during any discharge	-	-	-	-
Discharge & Monitoring Point 25	25	Nickel	milligrams per litre	Weekly during any discharge	-	-	-	-
Discharge & Monitoring Point 25	25	pH	pH	Weekly during any discharge	-	-	-	-
Discharge & Monitoring Point 25	25	Silver	milligrams per litre	Weekly during any discharge	-	-	-	-
Monitoring Point 27	27	Aluminium	milligrams per litre	Quarterly	6	6.5	7.2	8.6
Monitoring Point 27	27	Ammonia	milligrams per litre	Quarterly	6	0.57	0.60	0.67
Monitoring Point 27	27	Antimony	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 27	27	Arsenic (III)	milligrams per litre	Quarterly	6	0.0003	0.0004	0.0010
Monitoring Point 27	27	Arsenic (V)	milligrams per litre	Quarterly	6	0.0003	0.0003	0.0008
Monitoring Point 27	27	Barium	milligrams per litre	Quarterly	6	0.007	0.014	0.039
Monitoring Point 27	27	Beryllium	milligrams per litre	Quarterly	6	0.004	0.004	0.004
Monitoring Point 27	27	Boron	milligrams per litre	Quarterly	6	3.0	3.3	4.1
Monitoring Point 27	27	Cadmium	milligrams per litre	Quarterly	6	0.0003	0.00038	0.0005
Monitoring Point 27	27	Calcium	milligrams per litre	Quarterly	6	568	591	622
Monitoring Point 27	27	Chloride	milligrams per litre	Quarterly	6	679	717	751
Monitoring Point 27	27	Chromium (trivalent)	milligrams per litre	Quarterly	5	0.005	0.005	0.005
Monitoring Point 27	27	Chromium (VI) Compounds	milligrams per litre	Quarterly	5	0.005	0.005	0.005
Monitoring Point 27	27	Cobalt	milligrams per litre	Quarterly	6	0.079	0.085	0.090
Monitoring Point 27	27	Copper	milligrams per litre	Quarterly	6	0.001	0.004	0.010
Monitoring Point 27	27	Electrical conductivity	microsiemens per centimetre	Quarterly	7	4660	4824	4950
Monitoring Point 27	27	Iron	milligrams per litre	Quarterly	6	0.27	0.71	2.74
Monitoring Point 27	27	Lead	milligrams per litre	Quarterly	6	0.0005	0.00075	0.002
Monitoring Point 27	27	Lithium	milligrams per litre	Quarterly	6	0.444	0.4945	0.626
Monitoring Point 27	27	Magnesium	milligrams per litre	Quarterly	6	33	36	41
Monitoring Point 27	27	Manganese	milligrams per litre	Quarterly	6	0.654	0.699	0.733
Monitoring Point 27	27	Mercury	milligrams per litre	Quarterly	6	0.00002	0.00005	0.00005
Monitoring Point 27	27	Molybdenum	milligrams per litre	Quarterly	6	0.0005	0.00083	0.002
Monitoring Point 27	27	Nickel	milligrams per litre	Quarterly	6	0.150	0.165	0.177

Monitoring Point 27	27	Nitrate	milligrams per litre	Quarterly	6	0.005	0.012	0.040
Monitoring Point 27	27	Nitrate + nitrite (oxidised nitrogen)	milligrams per litre	Quarterly	6	0.005	0.012	0.040
Monitoring Point 27	27	Nitrite	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 27	27	Nitrogen (total)	milligrams per litre	Quarterly	6	0.6	0.8	1.2
Monitoring Point 27	27	pH	pH	Quarterly	7	3.9	4.0	4.1
Monitoring Point 27	27	Phosphorus (dissolved reactive)	milligrams per litre	Quarterly	6	0.005	0.006	0.010
Monitoring Point 27	27	Phosphorus (total)	milligrams per litre	Quarterly	5	0.005	0.019	0.030
Monitoring Point 27	27	Potassium	milligrams per litre	Quarterly	6	21	23	25
Monitoring Point 27	27	Selenium	milligrams per litre	Quarterly	6	0.005	0.011	0.030
Monitoring Point 27	27	Silver	milligrams per litre	Quarterly	6	0.0005	0.00075	0.002
Monitoring Point 27	27	Sodium	milligrams per litre	Quarterly	6	485	503	535
Monitoring Point 27	27	Strontium (dissolved)	milligrams per litre	Quarterly	6	0.326	0.345	0.362
Monitoring Point 27	27	Sulfate	milligrams per litre	Quarterly	6	1830	1923.33333	2000
Monitoring Point 27	27	Thallium	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 27	27	Titanium	milligrams per litre	Quarterly	6	0.005	0.011	0.040
Monitoring Point 27	27	Total alkalinity	milligrams of calcium carbonate per litre	Quarterly	6	0.5	0.5	0.5
Monitoring Point 27	27	Total dissolved solids	milligrams per litre	Quarterly	6	3780	3940	4120
Monitoring Point 27	27	Total Hardness	milligrams of calcium carbonate per litre	Quarterly	6	1560	1622	1700
Monitoring Point 27	27	Total Kjeldahl Nitrogen	milligrams per litre	Quarterly	6	0.6	0.8	1.2
Monitoring Point 27	27	Vanadium	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 27	27	Zinc	milligrams per litre	Quarterly	6	0.249	0.273	0.302
Monitoring Point 28	28	Aluminium	milligrams per litre	Quarterly	6	0.0	0.2	1.1
Monitoring Point 28	28	Ammonia	milligrams per litre	Quarterly	6	0.09	0.15	0.24
Monitoring Point 28	28	Antimony	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 28	28	Arsenic (III)	milligrams per litre	Quarterly	6	0.0003	0.0003	0.0003
Monitoring Point 28	28	Arsenic (V)	milligrams per litre	Quarterly	6	0.0003	0.0003	0.0005
Monitoring Point 28	28	Barium	milligrams per litre	Quarterly	6	0.021	0.025	0.033
Monitoring Point 28	28	Beryllium	milligrams per litre	Quarterly	6	0.001	0.001	0.001
Monitoring Point 28	28	Boron	milligrams per litre	Quarterly	6	2.8	3.1	3.3
Monitoring Point 28	28	Cadmium	milligrams per litre	Quarterly	6	0.00005	0.00005	0.00005
Monitoring Point 28	28	Calcium	milligrams per litre	Quarterly	6	344	358	378
Monitoring Point 28	28	Chloride	milligrams per litre	Quarterly	6	446	472	485
Monitoring Point 28	28	Chromium (trivalent)	milligrams per litre	Quarterly	5	0.005	0.005	0.005
Monitoring Point 28	28	Chromium (VI) Compounds	milligrams per litre	Quarterly	5	0.005	0.005	0.005
Monitoring Point 28	28	Cobalt	milligrams per litre	Quarterly	6	0.001	0.001	0.001
Monitoring Point 28	28	Copper	milligrams per litre	Quarterly	6	0.001	0.001	0.001
Monitoring Point 28	28	Electrical conductivity	microsiemens per centimetre	Quarterly	7	4550	4946	5270
Monitoring Point 28	28	Iron	milligrams per litre	Quarterly	6	0.03	0.26	1.20
Monitoring Point 28	28	Lead	milligrams per litre	Quarterly	6	0.0005	0.00075	0.002
Monitoring Point 28	28	Lithium	milligrams per litre	Quarterly	6	0.087	0.1015	0.114
Monitoring Point 28	28	Magnesium	milligrams per litre	Quarterly	6	130	147	156
Monitoring Point 28	28	Manganese	milligrams per litre	Quarterly	6	0.161	0.173	0.199
Monitoring Point 28	28	Mercury	milligrams per litre	Quarterly	6	0.00002	0.00005	0.00005
Monitoring Point 28	28	Molybdenum	milligrams per litre	Quarterly	6	0.0005	0.00083	0.002
Monitoring Point 28	28	Nickel	milligrams per litre	Quarterly	6	0.005	0.006	0.007
Monitoring Point 28	28	Nitrate	milligrams per litre	Quarterly	6	0.005	0.015	0.030
Monitoring Point 28	28	Nitrate + nitrite (oxidised nitrogen)	milligrams per litre	Quarterly	6	0.005	0.015	0.030
Monitoring Point 28	28	Nitrite	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 28	28	Nitrogen (total)	milligrams per litre	Quarterly	6	0.3	0.4	0.5
Monitoring Point 28	28	pH	pH	Quarterly	7	6.7	6.8	7.1
Monitoring Point 28	28	Phosphorus (dissolved reactive)	milligrams per litre	Quarterly	6	0.005	0.014	0.020
Monitoring Point 28	28	Phosphorus (total)	milligrams per litre	Quarterly	5	0.020	0.036	0.050
Monitoring Point 28	28	Potassium	milligrams per litre	Quarterly	6	4	5	8

Monitoring Point 28	28	Selenium	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 28	28	Silver	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 28	28	Sodium	milligrams per litre	Quarterly	6	610	687	729
Monitoring Point 28	28	Strontium (dissolved)	milligrams per litre	Quarterly	6	1.88	2.14	2.37
Monitoring Point 28	28	Sulfate	milligrams per litre	Quarterly	6	1870	1958.33333	2020
Monitoring Point 28	28	Thallium	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 28	28	Titanium	milligrams per litre	Quarterly	6	0.005	0.009	0.030
Monitoring Point 28	28	Total alkalinity	milligrams of calcium carbonate per litre	Quarterly	6	419	447.5	463
Monitoring Point 28	28	Total dissolved solids	milligrams per litre	Quarterly	6	3530	3890	4350
Monitoring Point 28	28	Total Hardness	milligrams of calcium carbonate per litre	Quarterly	6	1460	1500	1570
Monitoring Point 28	28	Total Kjeldahl Nitrogen	milligrams per litre	Quarterly	6	0.3	0.4	0.5
Monitoring Point 28	28	Vanadium	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 28	28	Zinc	milligrams per litre	Quarterly	6	0.003	0.003	0.006
Monitoring Point 29	29	Aluminium	milligrams per litre	Quarterly	6	0.1	1.2	3.6
Monitoring Point 29	29	Ammonia	milligrams per litre	Quarterly	6	0.09	0.27	0.42
Monitoring Point 29	29	Antimony	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 29	29	Arsenic (III)	milligrams per litre	Quarterly	6	0.0005	0.0030	0.0115
Monitoring Point 29	29	Arsenic (V)	milligrams per litre	Quarterly	6	0.0009	0.0022	0.0037
Monitoring Point 29	29	Barium	milligrams per litre	Quarterly	6	0.015	0.026	0.053
Monitoring Point 29	29	Beryllium	milligrams per litre	Quarterly	6	0.001	0.001	0.001
Monitoring Point 29	29	Boron	milligrams per litre	Quarterly	6	0.2	0.4	0.8
Monitoring Point 29	29	Cadmium	milligrams per litre	Quarterly	6	0.00005	0.00005	0.00005
Monitoring Point 29	29	Calcium	milligrams per litre	Quarterly	6	352	403	450
Monitoring Point 29	29	Chloride	milligrams per litre	Quarterly	6	1410	1647	1860
Monitoring Point 29	29	Chromium (trivalent)	milligrams per litre	Quarterly	4	0.005	0.009	0.020
Monitoring Point 29	29	Chromium (VI) Compounds	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 29	29	Cobalt	milligrams per litre	Quarterly	6	0.133	0.429	0.792
Monitoring Point 29	29	Copper	milligrams per litre	Quarterly	6	0.001	0.001	0.003
Monitoring Point 29	29	Electrical conductivity	microsiemens per centimetre	Quarterly	6	9720	10393	10910
Monitoring Point 29	29	Iron	milligrams per litre	Quarterly	6	7.88	21.68	44.80
Monitoring Point 29	29	Lead	milligrams per litre	Quarterly	6	0.0005	0.00117	0.003
Monitoring Point 29	29	Lithium	milligrams per litre	Quarterly	6	0.108	0.15067	0.251
Monitoring Point 29	29	Magnesium	milligrams per litre	Quarterly	6	256	282	323
Monitoring Point 29	29	Manganese	milligrams per litre	Quarterly	6	2.040	2.730	4.510
Monitoring Point 29	29	Mercury	milligrams per litre	Quarterly	6	0.00002	0.00005	0.00005
Monitoring Point 29	29	Molybdenum	milligrams per litre	Quarterly	6	0.0005	0.00058	0.001
Monitoring Point 29	29	Nickel	milligrams per litre	Quarterly	6	0.092	0.216	0.367
Monitoring Point 29	29	Nitrate	milligrams per litre	Quarterly	6	0.005	0.010	0.020
Monitoring Point 29	29	Nitrate + nitrite (oxidised nitrogen)	milligrams per litre	Quarterly	6	0.005	0.010	0.020
Monitoring Point 29	29	Nitrite	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 29	29	Nitrogen (total)	milligrams per litre	Quarterly	6	0.5	0.6	0.8
Monitoring Point 29	29	pH	pH	Quarterly	6	5.7	6.1	6.4
Monitoring Point 29	29	Phosphorus (dissolved reactive)	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 29	29	Phosphorus (total)	milligrams per litre	Quarterly	5	0.020	0.038	0.050
Monitoring Point 29	29	Potassium	milligrams per litre	Quarterly	6	4	5	6
Monitoring Point 29	29	Selenium	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 29	29	Silver	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 29	29	Sodium	milligrams per litre	Quarterly	6	1720	1885	2110
Monitoring Point 29	29	Strontium (dissolved)	milligrams per litre	Quarterly	5	2.5	2.680000008	2.75
Monitoring Point 29	29	Sulfate	milligrams per litre	Quarterly	6	3440	3528.33333	3670
Monitoring Point 29	29	Thallium	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 29	29	Titanium	milligrams per litre	Quarterly	6	0.005	0.015	0.050
Monitoring Point 29	29	Total alkalinity	milligrams of calcium carbonate per litre	Quarterly	6	91	146.66667	234

Monitoring Point 29	29	Total dissolved solids	milligrams per litre	Quarterly	6	7750	8570	9180
Monitoring Point 29	29	Total Hardness	milligrams of calcium carbonate per litre	Quarterly	6	1930	2167	2450
Monitoring Point 29	29	Total Kjeldahl Nitrogen	milligrams per litre	Quarterly	6	0.5	0.6	0.8
Monitoring Point 29	29	Vanadium	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 29	29	Zinc	milligrams per litre	Quarterly	6	0.016	0.104	0.186
Monitoring Point 30	30	Aluminium	milligrams per litre	Quarterly	6	0.0	0.0	0.0
Monitoring Point 30	30	Ammonia	milligrams per litre	Quarterly	6	0.04	0.08	0.20
Monitoring Point 30	30	Antimony	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 30	30	Arsenic (III)	milligrams per litre	Quarterly	6	0.0003	0.0003	0.0005
Monitoring Point 30	30	Arsenic (V)	milligrams per litre	Quarterly	6	0.0003	0.0003	0.0006
Monitoring Point 30	30	Barium	milligrams per litre	Quarterly	6	0.011	0.013	0.014
Monitoring Point 30	30	Beryllium	milligrams per litre	Quarterly	6	0.001	0.001	0.001
Monitoring Point 30	30	Boron	milligrams per litre	Quarterly	6	2.0	2.3	2.7
Monitoring Point 30	30	Cadmium	milligrams per litre	Quarterly	6	0.00005	0.00005	0.00005
Monitoring Point 30	30	Calcium	milligrams per litre	Quarterly	6	369	378	393
Monitoring Point 30	30	Chloride	milligrams per litre	Quarterly	6	1010	1078	1180
Monitoring Point 30	30	Chromium (trivalent)	milligrams per litre	Quarterly	5	0.005	0.005	0.005
Monitoring Point 30	30	Chromium (VI) Compounds	milligrams per litre	Quarterly	5	0.005	0.005	0.005
Monitoring Point 30	30	Cobalt	milligrams per litre	Quarterly	6	0.001	0.001	0.001
Monitoring Point 30	30	Copper	milligrams per litre	Quarterly	6	0.001	0.001	0.001
Monitoring Point 30	30	Electrical conductivity	microsiemens per centimetre	Quarterly	7	7150	7646	8020
Monitoring Point 30	30	Iron	milligrams per litre	Quarterly	6	0.16	0.23	0.28
Monitoring Point 30	30	Lead	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 30	30	Lithium	milligrams per litre	Quarterly	6	0.194	0.235	0.269
Monitoring Point 30	30	Magnesium	milligrams per litre	Quarterly	6	253	289	322
Monitoring Point 30	30	Manganese	milligrams per litre	Quarterly	6	0.147	0.162	0.171
Monitoring Point 30	30	Mercury	milligrams per litre	Quarterly	6	0.00002	0.00005	0.00005
Monitoring Point 30	30	Molybdenum	milligrams per litre	Quarterly	6	0.003	0.003	0.003
Monitoring Point 30	30	Nickel	milligrams per litre	Quarterly	6	0.012	0.013	0.014
Monitoring Point 30	30	Nitrate	milligrams per litre	Quarterly	6	0.005	0.008	0.020
Monitoring Point 30	30	Nitrate + nitrite (oxidised nitrogen)	milligrams per litre	Quarterly	6	0.005	0.008	0.020
Monitoring Point 30	30	Nitrite	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 30	30	Nitrogen (total)	milligrams per litre	Quarterly	6	0.1	0.2	0.3
Monitoring Point 30	30	pH	pH	Quarterly	7	7.0	7.1	7.2
Monitoring Point 30	30	Phosphorus (dissolved reactive)	milligrams per litre	Quarterly	6	0.005	0.007	0.010
Monitoring Point 30	30	Phosphorus (total)	milligrams per litre	Quarterly	5	0.020	0.038	0.060
Monitoring Point 30	30	Potassium	milligrams per litre	Quarterly	6	12	12	12
Monitoring Point 30	30	Selenium	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 30	30	Silver	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 30	30	Sodium	milligrams per litre	Quarterly	6	956	1098	1220
Monitoring Point 30	30	Strontium (dissolved)	milligrams per litre	Quarterly	6	2.78999962	3.02499989	3.32
Monitoring Point 30	30	Sulfate	milligrams per litre	Quarterly	6	2700	2806.66667	2910
Monitoring Point 30	30	Thallium	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 30	30	Titanium	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 30	30	Total alkalinity	milligrams of calcium carbonate per litre	Quarterly	6	373	382.5	396
Monitoring Point 30	30	Total dissolved solids	milligrams per litre	Quarterly	6	5930	6535	7390
Monitoring Point 30	30	Total Hardness	milligrams of calcium carbonate per litre	Quarterly	6	2020	2133	2280
Monitoring Point 30	30	Total Kjeldahl Nitrogen	milligrams per litre	Quarterly	6	0.1	0.2	0.3
Monitoring Point 30	30	Vanadium	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 30	30	Zinc	milligrams per litre	Quarterly	6	0.003	0.003	0.008
Monitoring Point 31	31	Aluminium	milligrams per litre	Quarterly	3	0.0	0.0	0.0
Monitoring Point 31	31	Ammonia	milligrams per litre	Quarterly	3	0.14	0.25	0.33
Monitoring Point 31	31	Antimony	milligrams per litre	Quarterly	3	0.0005	0.0005	0.0005

Monitoring Point 31	31	Arsenic (III)	milligrams per litre	Quarterly	3	0.0003	0.0003	0.0003
Monitoring Point 31	31	Arsenic (V)	milligrams per litre	Quarterly	3	0.0003	0.0003	0.0003
Monitoring Point 31	31	Barium	milligrams per litre	Quarterly	3	0.005	0.007	0.008
Monitoring Point 31	31	Beryllium	milligrams per litre	Quarterly	3	0.001	0.001	0.001
Monitoring Point 31	31	Boron	milligrams per litre	Quarterly	3	4.5	4.7	4.9
Monitoring Point 31	31	Cadmium	milligrams per litre	Quarterly	3	0.0002	0.00023	0.0003
Monitoring Point 31	31	Calcium	milligrams per litre	Quarterly	3	502	526	540
Monitoring Point 31	31	Chloride	milligrams per litre	Quarterly	3	474	492	501
Monitoring Point 31	31	Chromium (trivalent)	milligrams per litre	Quarterly	3	0.005	0.005	0.005
Monitoring Point 31	31	Chromium (VI) Compounds	milligrams per litre	Quarterly	3	0.005	0.005	0.005
Monitoring Point 31	31	Cobalt	milligrams per litre	Quarterly	3	0.001	0.001	0.001
Monitoring Point 31	31	Copper	milligrams per litre	Quarterly	3	0.001	0.001	0.001
Monitoring Point 31	31	Electrical conductivity	microsiemens per centimetre	Quarterly	3	4780	4913	5090
Monitoring Point 31	31	Iron	milligrams per litre	Quarterly	3	0.03	0.11	0.17
Monitoring Point 31	31	Lead	milligrams per litre	Quarterly	3	0.0005	0.0005	0.0005
Monitoring Point 31	31	Lithium	milligrams per litre	Quarterly	3	0.28	0.33533	0.428
Monitoring Point 31	31	Magnesium	milligrams per litre	Quarterly	3	105	116	127
Monitoring Point 31	31	Manganese	milligrams per litre	Quarterly	3	0.148	0.189	0.210
Monitoring Point 31	31	Mercury	milligrams per litre	Quarterly	3	0.00005	0.00005	0.00005
Monitoring Point 31	31	Molybdenum	milligrams per litre	Quarterly	3	0.001	0.001	0.001
Monitoring Point 31	31	Nickel	milligrams per litre	Quarterly	3	0.009	0.011	0.012
Monitoring Point 31	31	Nitrate	milligrams per litre	Quarterly	3	0.005	0.010	0.020
Monitoring Point 31	31	Nitrate + nitrite (oxidised nitrogen)	milligrams per litre	Quarterly	3	0.005	0.010	0.020
Monitoring Point 31	31	Nitrite	milligrams per litre	Quarterly	3	0.005	0.005	0.005
Monitoring Point 31	31	Nitrogen (total)	milligrams per litre	Quarterly	3	0.3	0.4	0.4
Monitoring Point 31	31	pH	pH	Quarterly	3	6.7	6.7	6.7
Monitoring Point 31	31	Phosphorus (dissolved reactive)	milligrams per litre	Quarterly	3	0.005	0.005	0.005
Monitoring Point 31	31	Phosphorus (total)	milligrams per litre	Quarterly	3	0.010	0.023	0.040
Monitoring Point 31	31	Potassium	milligrams per litre	Quarterly	3	17	17	17
Monitoring Point 31	31	Selenium	milligrams per litre	Quarterly	3	0.005	0.005	0.005
Monitoring Point 31	31	Silver	milligrams per litre	Quarterly	3	0.0005	0.0005	0.0005
Monitoring Point 31	31	Sodium	milligrams per litre	Quarterly	3	483	543	585
Monitoring Point 31	31	Strontium (dissolved)	milligrams per litre	Quarterly	3	2.25	2.28	2.32
Monitoring Point 31	31	Sulfate	milligrams per litre	Quarterly	3	2240	2273.33333	2290
Monitoring Point 31	31	Thallium	milligrams per litre	Quarterly	3	0.0005	0.0005	0.0005
Monitoring Point 31	31	Titanium	milligrams per litre	Quarterly	3	0.005	0.005	0.005
Monitoring Point 31	31	Total alkalinity	milligrams of calcium carbonate per litre	Quarterly	3	113	120.33333	133
Monitoring Point 31	31	Total dissolved solids	milligrams per litre	Quarterly	3	4100	4183.33333	4240
Monitoring Point 31	31	Total Hardness	milligrams of calcium carbonate per litre	Quarterly	3	1730	1790	1860
Monitoring Point 31	31	Total Kjeldahl Nitrogen	milligrams per litre	Quarterly	3	0.3	0.4	0.4
Monitoring Point 31	31	Vanadium	milligrams per litre	Quarterly	3	0.005	0.005	0.005
Monitoring Point 31	31	Zinc	milligrams per litre	Quarterly	3	0.003	0.003	0.003
Monitoring Point 32	32	Aluminium	milligrams per litre	Quarterly	6	0.0	0.0	0.1
Monitoring Point 32	32	Ammonia	milligrams per litre	Quarterly	6	0.05	0.09	0.17
Monitoring Point 32	32	Antimony	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 32	32	Arsenic (III)	milligrams per litre	Quarterly	6	0.0003	0.0003	0.0003
Monitoring Point 32	32	Arsenic (V)	milligrams per litre	Quarterly	6	0.0003	0.0003	0.0003
Monitoring Point 32	32	Barium	milligrams per litre	Quarterly	6	0.010	0.011	0.011
Monitoring Point 32	32	Beryllium	milligrams per litre	Quarterly	6	0.001	0.001	0.001
Monitoring Point 32	32	Boron	milligrams per litre	Quarterly	6	0.4	0.4	0.5
Monitoring Point 32	32	Cadmium	milligrams per litre	Quarterly	6	0.00005	0.00005	0.00005
Monitoring Point 32	32	Calcium	milligrams per litre	Quarterly	6	283	302	330
Monitoring Point 32	32	Chloride	milligrams per litre	Quarterly	6	751	830	904

Monitoring Point 32	32	Chromium (trivalent)	milligrams per litre	Quarterly	5	0.005	0.005	0.005
Monitoring Point 32	32	Chromium (VI) Compounds	milligrams per litre	Quarterly	5	0.005	0.005	0.005
Monitoring Point 32	32	Cobalt	milligrams per litre	Quarterly	6	0.001	0.001	0.001
Monitoring Point 32	32	Copper	milligrams per litre	Quarterly	6	0.001	0.001	0.001
Monitoring Point 32	32	Electrical conductivity	microsiemens per centimetre	Quarterly	7	8900	9943	10480
Monitoring Point 32	32	Iron	milligrams per litre	Quarterly	6	0.03	0.18	0.30
Monitoring Point 32	32	Lead	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 32	32	Lithium	milligrams per litre	Quarterly	6	0.105	0.123	0.162
Monitoring Point 32	32	Magnesium	milligrams per litre	Quarterly	6	392	458	512
Monitoring Point 32	32	Manganese	milligrams per litre	Quarterly	6	0.068	0.121	0.206
Monitoring Point 32	32	Mercury	milligrams per litre	Quarterly	6	0.00002	0.00005	0.00005
Monitoring Point 32	32	Molybdenum	milligrams per litre	Quarterly	6	0.002	0.00217	0.003
Monitoring Point 32	32	Nickel	milligrams per litre	Quarterly	6	0.003	0.004	0.005
Monitoring Point 32	32	Nitrate	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 32	32	Nitrate + nitrite (oxidised nitrogen)	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 32	32	Nitrite	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 32	32	Nitrogen (total)	milligrams per litre	Quarterly	6	0.1	0.2	0.3
Monitoring Point 32	32	pH	pH	Quarterly	7	7.2	7.3	7.3
Monitoring Point 32	32	Phosphorus (dissolved reactive)	milligrams per litre	Quarterly	6	0.005	0.011	0.020
Monitoring Point 32	32	Phosphorus (total)	milligrams per litre	Quarterly	5	0.020	0.030	0.040
Monitoring Point 32	32	Potassium	milligrams per litre	Quarterly	6	9	10	11
Monitoring Point 32	32	Selenium	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 32	32	Silver	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 32	32	Sodium	milligrams per litre	Quarterly	6	1500	1762	2040
Monitoring Point 32	32	Strontium (dissolved)	milligrams per litre	Quarterly	6	5.199999809	5.653333305	5.98
Monitoring Point 32	32	Sulfate	milligrams per litre	Quarterly	6	4240	4521.66667	4760
Monitoring Point 32	32	Thallium	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 32	32	Titanium	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 32	32	Total alkalinity	milligrams of calcium carbonate per litre	Quarterly	6	469	486.83333	516
Monitoring Point 32	32	Total dissolved solids	milligrams per litre	Quarterly	6	8680	8911.66667	9610
Monitoring Point 32	32	Total Hardness	milligrams of calcium carbonate per litre	Quarterly	6	2320	2640	2930
Monitoring Point 32	32	Total Kjeldahl Nitrogen	milligrams per litre	Quarterly	6	0.1	0.2	0.3
Monitoring Point 32	32	Vanadium	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 32	32	Zinc	milligrams per litre	Quarterly	6	0.003	0.003	0.003
Monitoring Point 33	33	Aluminium	milligrams per litre	Quarterly	6	0.0	1.5	7.4
Monitoring Point 33	33	Ammonia	milligrams per litre	Quarterly	6	0.01	0.07	0.26
Monitoring Point 33	33	Antimony	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 33	33	Arsenic (III)	milligrams per litre	Quarterly	6	0.0003	0.0003	0.0008
Monitoring Point 33	33	Arsenic (V)	milligrams per litre	Quarterly	6	0.0003	0.0003	0.0003
Monitoring Point 33	33	Barium	milligrams per litre	Quarterly	6	0.021	0.037	0.088
Monitoring Point 33	33	Beryllium	milligrams per litre	Quarterly	6	0.001	0.001	0.001
Monitoring Point 33	33	Boron	milligrams per litre	Quarterly	6	0.2	0.3	0.4
Monitoring Point 33	33	Cadmium	milligrams per litre	Quarterly	6	0.00005	0.0001	0.0002
Monitoring Point 33	33	Calcium	milligrams per litre	Quarterly	6	171	185	194
Monitoring Point 33	33	Chloride	milligrams per litre	Quarterly	6	2860	3053	3270
Monitoring Point 33	33	Chromium (trivalent)	milligrams per litre	Quarterly	5	0.005	0.005	0.005
Monitoring Point 33	33	Chromium (VI) Compounds	milligrams per litre	Quarterly	5	0.005	0.005	0.005
Monitoring Point 33	33	Cobalt	milligrams per litre	Quarterly	6	0.001	0.001	0.004
Monitoring Point 33	33	Copper	milligrams per litre	Quarterly	6	0.001	0.004	0.012
Monitoring Point 33	33	Electrical conductivity	microsiemens per centimetre	Quarterly	7	10130	11144	11980
Monitoring Point 33	33	Iron	milligrams per litre	Quarterly	6	0.03	1.92	9.27
Monitoring Point 33	33	Lead	milligrams per litre	Quarterly	6	0.0005	0.00817	0.034
Monitoring Point 33	33	Lithium	milligrams per litre	Quarterly	6	0.264	0.3105	0.396

Monitoring Point 33	33	Magnesium	milligrams per litre	Quarterly	6	246	274	310
Monitoring Point 33	33	Manganese	milligrams per litre	Quarterly	6	0.002	0.069	0.164
Monitoring Point 33	33	Mercury	milligrams per litre	Quarterly	6	0.00002	0.00005	0.00005
Monitoring Point 33	33	Molybdenum	milligrams per litre	Quarterly	6	0.002	0.00283	0.003
Monitoring Point 33	33	Nickel	milligrams per litre	Quarterly	6	0.004	0.006	0.013
Monitoring Point 33	33	Nitrate	milligrams per litre	Quarterly	6	0.130	0.252	0.440
Monitoring Point 33	33	Nitrate + nitrite (oxidised nitrogen)	milligrams per litre	Quarterly	6	0.130	0.252	0.440
Monitoring Point 33	33	Nitrite	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 33	33	Nitrogen (total)	milligrams per litre	Quarterly	6	0.3	0.6	1.5
Monitoring Point 33	33	pH	pH	Quarterly	7	6.9	7.0	7.2
Monitoring Point 33	33	Phosphorus (dissolved reactive)	milligrams per litre	Quarterly	6	0.005	0.011	0.040
Monitoring Point 33	33	Phosphorus (total)	milligrams per litre	Quarterly	5	0.005	0.081	0.170
Monitoring Point 33	33	Potassium	milligrams per litre	Quarterly	6	21	23	25
Monitoring Point 33	33	Selenium	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 33	33	Silver	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 33	33	Sodium	milligrams per litre	Quarterly	6	1970	2045	2150
Monitoring Point 33	33	Strontium (dissolved)	milligrams per litre	Quarterly	6	2.88	3.04	3.23
Monitoring Point 33	33	Sulfate	milligrams per litre	Quarterly	6	687	865	986
Monitoring Point 33	33	Thallium	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 33	33	Titanium	milligrams per litre	Quarterly	6	0.005	0.025	0.110
Monitoring Point 33	33	Total alkalinity	milligrams of calcium carbonate per litre	Quarterly	6	807	854.16667	885
Monitoring Point 33	33	Total dissolved solids	milligrams per litre	Quarterly	6	6910	7276.66667	7860
Monitoring Point 33	33	Total Hardness	milligrams of calcium carbonate per litre	Quarterly	6	1450	1587	1760
Monitoring Point 33	33	Total Kjeldahl Nitrogen	milligrams per litre	Quarterly	6	0.1	0.4	1.1
Monitoring Point 33	33	Vanadium	milligrams per litre	Quarterly	6	0.005	0.008	0.020
Monitoring Point 33	33	Zinc	milligrams per litre	Quarterly	6	0.003	0.014	0.036
Monitoring Point 34	34	Aluminium	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Ammonia	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Antimony	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Arsenic (III)	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Arsenic (V)	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Barium	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Beryllium	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Boron	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Cadmium	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Calcium	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Chloride	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Chromium (trivalent)	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Chromium (VI) Compounds	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Cobalt	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Copper	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Electrical conductivity	microsiemens per centimetre	Quarterly	-	-	-	-
Monitoring Point 34	34	Iron	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Lead	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Lithium	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Magnesium	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Manganese	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Mercury	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Molybdenum	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Nickel	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Nitrate	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Nitrate + nitrite (oxidised nitrogen)	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Nitrite	milligrams per litre	Quarterly	-	-	-	-

Monitoring Point 34	34	Nitrogen (total)	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	pH	pH	Quarterly	-	-	-	-
Monitoring Point 34	34	Phosphorus (dissolved reactive)	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Phosphorus (total)	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Potassium	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Selenium	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Silver	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Sodium	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Strontium (dissolved)	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Sulfate	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Thallium	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Titanium	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Total alkalinity	milligrams of calcium carbonate per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Total dissolved solids	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Total Hardness	milligrams of calcium carbonate per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Total Kjeldahl Nitrogen	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Vanadium	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 34	34	Zinc	milligrams per litre	Quarterly	-	-	-	-
Monitoring Point 35	35	Aluminium	milligrams per litre	Quarterly	6	0.0	3.3	11.1
Monitoring Point 35	35	Ammonia	milligrams per litre	Quarterly	6	0.01	0.05	0.09
Monitoring Point 35	35	Antimony	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 35	35	Arsenic (III)	milligrams per litre	Quarterly	6	0.0003	0.0003	0.0008
Monitoring Point 35	35	Arsenic (V)	milligrams per litre	Quarterly	6	0.0003	0.0010	0.0049
Monitoring Point 35	35	Barium	milligrams per litre	Quarterly	6	0.009	0.049	0.149
Monitoring Point 35	35	Beryllium	milligrams per litre	Quarterly	6	0.001	0.001	0.001
Monitoring Point 35	35	Boron	milligrams per litre	Quarterly	6	1.8	2.0	2.2
Monitoring Point 35	35	Cadmium	milligrams per litre	Quarterly	6	0.00005	0.00017	0.0006
Monitoring Point 35	35	Calcium	milligrams per litre	Quarterly	6	495	519	538
Monitoring Point 35	35	Chloride	milligrams per litre	Quarterly	6	735	798	912
Monitoring Point 35	35	Chromium (trivalent)	milligrams per litre	Quarterly	5	0.005	0.005	0.005
Monitoring Point 35	35	Chromium (VI) Compounds	milligrams per litre	Quarterly	5	0.005	0.005	0.005
Monitoring Point 35	35	Cobalt	milligrams per litre	Quarterly	6	0.004	0.009	0.018
Monitoring Point 35	35	Copper	milligrams per litre	Quarterly	6	0.001	0.008	0.026
Monitoring Point 35	35	Electrical conductivity	microsiemens per centimetre	Quarterly	5	6220	6790	7060
Monitoring Point 35	35	Iron	milligrams per litre	Quarterly	6	0.15	4.99	17.40
Monitoring Point 35	35	Lead	milligrams per litre	Quarterly	6	0.0005	0.00542	0.015
Monitoring Point 35	35	Lithium	milligrams per litre	Quarterly	6	0.232	0.25767	0.282
Monitoring Point 35	35	Magnesium	milligrams per litre	Quarterly	6	326	344	362
Monitoring Point 35	35	Manganese	milligrams per litre	Quarterly	6	0.210	0.393	0.721
Monitoring Point 35	35	Mercury	milligrams per litre	Quarterly	6	0.00002	0.00005	0.00005
Monitoring Point 35	35	Molybdenum	milligrams per litre	Quarterly	6	0.0005	0.00142	0.002
Monitoring Point 35	35	Nickel	milligrams per litre	Quarterly	6	0.009	0.014	0.021
Monitoring Point 35	35	Nitrate	milligrams per litre	Quarterly	6	0.005	0.051	0.120
Monitoring Point 35	35	Nitrate + nitrite (oxidised nitrogen)	milligrams per litre	Quarterly	6	0.005	0.053	0.120
Monitoring Point 35	35	Nitrite	milligrams per litre	Quarterly	6	0.005	0.006	0.010
Monitoring Point 35	35	Nitrogen (total)	milligrams per litre	Quarterly	6	0.1	0.4	0.7
Monitoring Point 35	35	pH	pH	Quarterly	7	6.4	6.5	6.6
Monitoring Point 35	35	Phosphorus (dissolved reactive)	milligrams per litre	Quarterly	6	0.005	0.026	0.050
Monitoring Point 35	35	Phosphorus (total)	milligrams per litre	Quarterly	5	0.050	0.162	0.360
Monitoring Point 35	35	Potassium	milligrams per litre	Quarterly	6	11	14	15
Monitoring Point 35	35	Selenium	milligrams per litre	Quarterly	6	0.005	0.005	0.005
Monitoring Point 35	35	Silver	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 35	35	Sodium	milligrams per litre	Quarterly	6	774	805	852

Monitoring Point 35	35	Strontium (dissolved)	milligrams per litre	Quarterly	6	3.16	3.49	3.82
Monitoring Point 35	35	Sulfate	milligrams per litre	Quarterly	6	2970	3163.33333	3350
Monitoring Point 35	35	Thallium	milligrams per litre	Quarterly	6	0.0005	0.0005	0.0005
Monitoring Point 35	35	Titanium	milligrams per litre	Quarterly	6	0.005	0.030	0.100
Monitoring Point 35	35	Total alkalinity	milligrams of calcium carbonate per litre	Quarterly	6	178	206.33333	227
Monitoring Point 35	35	Total dissolved solids	milligrams per litre	Quarterly	6	4670	6095	7050
Monitoring Point 35	35	Total Hardness	milligrams of calcium carbonate per litre	Quarterly	6	2620	2712	2800
Monitoring Point 35	35	Total Kjeldahl Nitrogen	milligrams per litre	Quarterly	6	0.1	0.4	0.6
Monitoring Point 35	35	Vanadium	milligrams per litre	Quarterly	6	0.005	0.012	0.030
Monitoring Point 35	35	Zinc	milligrams per litre	Quarterly	6	0.003	0.018	0.044
Monitoring Point 36	36	Aluminium	milligrams per litre	Quarterly	4	0.1	0.3	0.4
Monitoring Point 36	36	Ammonia	milligrams per litre	Quarterly	4	5.68	6.98	7.90
Monitoring Point 36	36	Antimony	milligrams per litre	Quarterly	4	0.0005	0.0089	0.0250
Monitoring Point 36	36	Arsenic (III)	milligrams per litre	Quarterly	4	0.0003	0.0012	0.0020
Monitoring Point 36	36	Arsenic (V)	milligrams per litre	Quarterly	4	0.0003	0.0011	0.0020
Monitoring Point 36	36	Barium	milligrams per litre	Quarterly	4	0.040	0.049	0.054
Monitoring Point 36	36	Beryllium	milligrams per litre	Quarterly	4	0.001	0.004	0.005
Monitoring Point 36	36	Boron	milligrams per litre	Quarterly	4	0.3	0.6	1.2
Monitoring Point 36	36	Cadmium	milligrams per litre	Quarterly	4	0.00005	0.00039	0.0005
Monitoring Point 36	36	Calcium	milligrams per litre	Quarterly	4	47	60	76
Monitoring Point 36	36	Chloride	milligrams per litre	Quarterly	4	5270	6900	7920
Monitoring Point 36	36	Chromium (trivalent)	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 36	36	Chromium (VI) Compounds	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 36	36	Cobalt	milligrams per litre	Quarterly	4	0.001	0.004	0.005
Monitoring Point 36	36	Copper	milligrams per litre	Quarterly	4	0.001	0.004	0.005
Monitoring Point 36	36	Electrical conductivity	microsiemens per centimetre	Quarterly	6	24200	26200	27800
Monitoring Point 36	36	Iron	milligrams per litre	Quarterly	4	0.25	0.77	1.15
Monitoring Point 36	36	Lead	milligrams per litre	Quarterly	4	0.002	0.00425	0.005
Monitoring Point 36	36	Lithium	milligrams per litre	Quarterly	4	1.31	1.8375	2.11
Monitoring Point 36	36	Magnesium	milligrams per litre	Quarterly	4	42	65	94
Monitoring Point 36	36	Manganese	milligrams per litre	Quarterly	4	0.027	0.070	0.107
Monitoring Point 36	36	Mercury	milligrams per litre	Quarterly	4	0.00002	0.00004	0.00005
Monitoring Point 36	36	Molybdenum	milligrams per litre	Quarterly	4	0.0005	0.00788	0.021
Monitoring Point 36	36	Nickel	milligrams per litre	Quarterly	4	0.005	0.006	0.007
Monitoring Point 36	36	Nitrate	milligrams per litre	Quarterly	4	0.005	0.016	0.030
Monitoring Point 36	36	Nitrate + nitrite (oxidised nitrogen)	milligrams per litre	Quarterly	4	0.005	0.066	0.180
Monitoring Point 36	36	Nitrite	milligrams per litre	Quarterly	4	0.005	0.051	0.150
Monitoring Point 36	36	Nitrogen (total)	milligrams per litre	Quarterly	4	5.7	7.3	8.2
Monitoring Point 36	36	pH	pH	Quarterly	6	7.5	7.6	7.7
Monitoring Point 36	36	Phosphorus (dissolved reactive)	milligrams per litre	Quarterly	4	0.020	0.048	0.070
Monitoring Point 36	36	Phosphorus (total)	milligrams per litre	Quarterly	3	0.100	0.163	0.200
Monitoring Point 36	36	Potassium	milligrams per litre	Quarterly	4	20	23	27
Monitoring Point 36	36	Selenium	milligrams per litre	Quarterly	4	0.005	0.039	0.050
Monitoring Point 36	36	Silver	milligrams per litre	Quarterly	4	0.0005	0.00387	0.005
Monitoring Point 36	36	Sodium	milligrams per litre	Quarterly	4	6160	6648	7180
Monitoring Point 36	36	Strontium (dissolved)	milligrams per litre	Quarterly	4	4.85	5.7275	6.25
Monitoring Point 36	36	Sulfate	milligrams per litre	Quarterly	4	2640	3377.5	3640
Monitoring Point 36	36	Thallium	milligrams per litre	Quarterly	4	0.0005	0.00387	0.005
Monitoring Point 36	36	Titanium	milligrams per litre	Quarterly	4	0.005	0.039	0.050
Monitoring Point 36	36	Total alkalinity	milligrams of calcium carbonate per litre	Quarterly	4	1170	1335	1450
Monitoring Point 36	36	Total dissolved solids	milligrams per litre	Quarterly	4	14200	18150	20900
Monitoring Point 36	36	Total Hardness	milligrams of calcium carbonate per litre	Quarterly	4	290	415	577
Monitoring Point 36	36	Total Kjeldahl Nitrogen	milligrams per litre	Quarterly	4	5.6	7.3	8.2

Monitoring Point 36	36	Vanadium	milligrams per litre	Quarterly	4	0.005	0.039	0.050
Monitoring Point 36	36	Zinc	milligrams per litre	Quarterly	4	0.020	0.025	0.026
Monitoring Point 37	37	Aluminium	milligrams per litre	Quarterly	4	0.4	0.5	0.5
Monitoring Point 37	37	Ammonia	milligrams per litre	Quarterly	4	0.04	0.12	0.18
Monitoring Point 37	37	Antimony	milligrams per litre	Quarterly	4	0.0005	0.0005	0.0005
Monitoring Point 37	37	Arsenic (III)	milligrams per litre	Quarterly	4	0.0003	0.0003	0.0003
Monitoring Point 37	37	Arsenic (V)	milligrams per litre	Quarterly	4	0.0003	0.0003	0.0003
Monitoring Point 37	37	Barium	milligrams per litre	Quarterly	4	0.011	0.012	0.013
Monitoring Point 37	37	Beryllium	milligrams per litre	Quarterly	4	0.001	0.001	0.001
Monitoring Point 37	37	Boron	milligrams per litre	Quarterly	4	1.5	1.6	1.7
Monitoring Point 37	37	Cadmium	milligrams per litre	Quarterly	4	0.0022	0.0023	0.0024
Monitoring Point 37	37	Calcium	milligrams per litre	Quarterly	4	455	482	498
Monitoring Point 37	37	Chloride	milligrams per litre	Quarterly	4	915	994	1090
Monitoring Point 37	37	Chromium (trivalent)	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 37	37	Chromium (VI) Compounds	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 37	37	Cobalt	milligrams per litre	Quarterly	4	0.103	0.109	0.116
Monitoring Point 37	37	Copper	milligrams per litre	Quarterly	4	0.001	0.001	0.002
Monitoring Point 37	37	Electrical conductivity	microsiemens per centimetre	Quarterly	6	8720	8850	9040
Monitoring Point 37	37	Iron	milligrams per litre	Quarterly	4	0.03	0.04	0.07
Monitoring Point 37	37	Lead	milligrams per litre	Quarterly	4	0.0005	0.0005	0.0005
Monitoring Point 37	37	Lithium	milligrams per litre	Quarterly	4	0.521	0.595	0.681
Monitoring Point 37	37	Magnesium	milligrams per litre	Quarterly	4	393	405	416
Monitoring Point 37	37	Manganese	milligrams per litre	Quarterly	4	3.840	3.983	4.030
Monitoring Point 37	37	Mercury	milligrams per litre	Quarterly	4	0.00002	0.00004	0.00005
Monitoring Point 37	37	Molybdenum	milligrams per litre	Quarterly	4	0.0005	0.0005	0.0005
Monitoring Point 37	37	Nickel	milligrams per litre	Quarterly	4	0.283	0.296	0.310
Monitoring Point 37	37	Nitrate	milligrams per litre	Quarterly	4	0.005	0.006	0.010
Monitoring Point 37	37	Nitrate + nitrite (oxidised nitrogen)	milligrams per litre	Quarterly	4	0.005	0.006	0.010
Monitoring Point 37	37	Nitrite	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 37	37	Nitrogen (total)	milligrams per litre	Quarterly	4	0.4	0.5	0.6
Monitoring Point 37	37	pH	pH	Quarterly	6	5.4	5.4	5.5
Monitoring Point 37	37	Phosphorus (dissolved reactive)	milligrams per litre	Quarterly	4	0.060	0.068	0.070
Monitoring Point 37	37	Phosphorus (total)	milligrams per litre	Quarterly	3	0.060	0.083	0.100
Monitoring Point 37	37	Potassium	milligrams per litre	Quarterly	4	44	46	51
Monitoring Point 37	37	Selenium	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 37	37	Silver	milligrams per litre	Quarterly	4	0.0005	0.00088	0.002
Monitoring Point 37	37	Sodium	milligrams per litre	Quarterly	4	1300	1330	1370
Monitoring Point 37	37	Strontium (dissolved)	milligrams per litre	Quarterly	4	2.2	2.38	2.56
Monitoring Point 37	37	Sulfate	milligrams per litre	Quarterly	4	3960	4155	4300
Monitoring Point 37	37	Thallium	milligrams per litre	Quarterly	4	0.0005	0.0005	0.0005
Monitoring Point 37	37	Titanium	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 37	37	Total alkalinity	milligrams of calcium carbonate per litre	Quarterly	4	37	39.5	43
Monitoring Point 37	37	Total dissolved solids	milligrams per litre	Quarterly	4	7750	8142.5	8420
Monitoring Point 37	37	Total Hardness	milligrams of calcium carbonate per litre	Quarterly	4	2750	2870	2960
Monitoring Point 37	37	Total Kjeldahl Nitrogen	milligrams per litre	Quarterly	4	0.4	0.5	0.6
Monitoring Point 37	37	Vanadium	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 37	37	Zinc	milligrams per litre	Quarterly	4	0.114	0.124	0.139
Monitoring Point 38	38	Aluminium	milligrams per litre	Quarterly	4	0.0	0.0	0.1
Monitoring Point 38	38	Ammonia	milligrams per litre	Quarterly	4	0.17	0.30	0.50
Monitoring Point 38	38	Antimony	milligrams per litre	Quarterly	4	0.0005	0.0005	0.0005
Monitoring Point 38	38	Arsenic (III)	milligrams per litre	Quarterly	4	0.0003	0.0003	0.0003
Monitoring Point 38	38	Arsenic (V)	milligrams per litre	Quarterly	4	0.0003	0.0003	0.0003
Monitoring Point 38	38	Barium	milligrams per litre	Quarterly	4	0.015	0.016	0.017

Monitoring Point 38	38	Beryllium	milligrams per litre	Quarterly	4	0.001	0.001	0.001
Monitoring Point 38	38	Boron	milligrams per litre	Quarterly	4	1.0	1.0	1.0
Monitoring Point 38	38	Cadmium	milligrams per litre	Quarterly	4	0.00005	0.00005	0.00005
Monitoring Point 38	38	Calcium	milligrams per litre	Quarterly	4	565	573	580
Monitoring Point 38	38	Chloride	milligrams per litre	Quarterly	4	331	409	586
Monitoring Point 38	38	Chromium (trivalent)	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 38	38	Chromium (VI) Compounds	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 38	38	Cobalt	milligrams per litre	Quarterly	4	0.001	0.001	0.001
Monitoring Point 38	38	Copper	milligrams per litre	Quarterly	4	0.0005	0.0026	0.0090
Monitoring Point 38	38	Electrical conductivity	microsiemens per centimetre	Quarterly	6	4860	5050	5230
Monitoring Point 38	38	Iron	milligrams per litre	Quarterly	4	0.13	0.19	0.29
Monitoring Point 38	38	Lead	milligrams per litre	Quarterly	4	0.0005	0.0005	0.0005
Monitoring Point 38	38	Lithium	milligrams per litre	Quarterly	4	0.221	0.24525	0.269
Monitoring Point 38	38	Magnesium	milligrams per litre	Quarterly	4	174	189	222
Monitoring Point 38	38	Manganese	milligrams per litre	Quarterly	4	1.490	1.618	1.760
Monitoring Point 38	38	Mercury	milligrams per litre	Quarterly	4	0.00005	0.00005	0.00005
Monitoring Point 38	38	Molybdenum	milligrams per litre	Quarterly	4	0.0005	0.0005	0.0005
Monitoring Point 38	38	Nickel	milligrams per litre	Quarterly	4	0.002	0.003	0.005
Monitoring Point 38	38	Nitrate	milligrams per litre	Quarterly	4	0.005	0.006	0.010
Monitoring Point 38	38	Nitrate + nitrite (oxidised nitrogen)	milligrams per litre	Quarterly	4	0.005	0.006	0.010
Monitoring Point 38	38	Nitrite	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 38	38	Nitrogen (total)	milligrams per litre	Quarterly	4	0.3	0.4	0.5
Monitoring Point 38	38	pH	pH	Quarterly	6	6.9	7.0	7.2
Monitoring Point 38	38	Phosphorus (dissolved reactive)	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 38	38	Phosphorus (total)	milligrams per litre	Quarterly	3	0.005	0.035	0.070
Monitoring Point 38	38	Potassium	milligrams per litre	Quarterly	4	16	19	23
Monitoring Point 38	38	Selenium	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 38	38	Silver	milligrams per litre	Quarterly	4	0.0005	0.0005	0.0005
Monitoring Point 38	38	Sodium	milligrams per litre	Quarterly	4	458	526	642
Monitoring Point 38	38	Strontium (dissolved)	milligrams per litre	Quarterly	4	2.36	2.6525	2.78
Monitoring Point 38	38	Sulfate	milligrams per litre	Quarterly	4	2160	2317.5	2440
Monitoring Point 38	38	Thallium	milligrams per litre	Quarterly	4	0.0005	0.0005	0.0005
Monitoring Point 38	38	Titanium	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 38	38	Total alkalinity	milligrams of calcium carbonate per litre	Quarterly	4	553	581	604
Monitoring Point 38	38	Total dissolved solids	milligrams per litre	Quarterly	4	3980	4497.5	5150
Monitoring Point 38	38	Total Hardness	milligrams of calcium carbonate per litre	Quarterly	4	2150	2208	2340
Monitoring Point 38	38	Total Kjeldahl Nitrogen	milligrams per litre	Quarterly	4	0.3	0.4	0.5
Monitoring Point 38	38	Vanadium	milligrams per litre	Quarterly	4	0.005	0.005	0.005
Monitoring Point 38	38	Zinc	milligrams per litre	Quarterly	4	0.003	0.003	0.003