



Corporate Accreditation No 63
Accredited for compliance with ISO/IEC 17025 - Testing



Final Report 285314

Issue Date: 29/05/2023
Issued By : [REDACTED], Commercial Client Representative

Supersedes Report No.: 285253

Attention: [REDACTED]
Customer: Department of Planning and Environment
Customer ID: ZOEH_1

Delivery Address: Sydney Water Corporation
[REDACTED]
West Ryde NSW 2114

Telephone: [REDACTED]
Email: [REDACTED]

Address: [REDACTED]
Telephone: [REDACTED]
Email: [REDACTED]

CONTENTS

1. Sydney Water Approved Signatory
2. Sample Summary
3. Analytical results
4. Comments
5. Laboratory QC results

Sydney Water Approved Signatory

[REDACTED], Phycology Supervisor	[REDACTED], Organics Analyst	[REDACTED], Organics Senior Analyst
----------------------------------	------------------------------	-------------------------------------

Where a result is required to meet a compliance limit or specification the associated uncertainty must be considered. Uncertainty estimates are available for all accredited test results.

SAMPLE SUMMARY

<u>Client Sample ID</u>	<u>Sample Number</u>	<u>Sampling Procedure</u>	<u>Date Sampled</u>	<u>Date Received</u>	<u>Date Authorised</u>	<u>Description</u>
232978	L23038822	1	06/05/2023	09/05/2023	25/05/2023	E1-2 (ENVIRONMENTAL WATER)
232980	L23038823	1	06/05/2023	09/05/2023	25/05/2023	E2-2 (ENVIRONMENTAL WATER)
232982	L23038824	1	06/05/2023	09/05/2023	26/05/2023	E3-2 (ENVIRONMENTAL WATER)
232984	L23038825	1	06/05/2023	09/05/2023	26/05/2023	E4-2 (ENVIRONMENTAL WATER)
232986	L23038826	1	06/05/2023	09/05/2023	26/05/2023	E5-2 (ENVIRONMENTAL WATER)
232988	L23038827	1	06/05/2023	09/05/2023	25/05/2023	B1-2 (ENVIRONMENTAL WATER)
232990	L23038828	1	06/05/2023	09/05/2023	26/05/2023	B2-2 (ENVIRONMENTAL WATER)
232992	L23038829	1	06/05/2023	09/05/2023	26/05/2023	B3-2 (ENVIRONMENTAL WATER)
232993	L23038830	1	06/05/2023	09/05/2023	29/05/2023	E1-1 (ENVIRONMENTAL WATER)
232994	L23038831	1	06/05/2023	09/05/2023	29/05/2023	E2-1 (ENVIRONMENTAL WATER)
232995	L23038832	1	06/05/2023	09/05/2023	29/05/2023	E3-1 (ENVIRONMENTAL WATER)
232996	L23038833	1	06/05/2023	09/05/2023	29/05/2023	E4-1 (ENVIRONMENTAL WATER)
232997	L23038834	1	06/05/2023	09/05/2023	29/05/2023	E5-1 (ENVIRONMENTAL WATER)
232998	L23038835	1	06/05/2023	09/05/2023	29/05/2023	B1-1 (ENVIRONMENTAL WATER)
232999	L23038836	1	06/05/2023	09/05/2023	29/05/2023	B2-1 (ENVIRONMENTAL WATER)
233000	L23038837	1	06/05/2023	09/05/2023	29/05/2023	B3-1 (ENVIRONMENTAL WATER)

Sampling procedures

- 1 Samples analysed as received.
- 2 Samples collected as per FS procedures SAWI 070, Excluding Oil & Grease which is collected as per clients instructions.
- 3 Samples collected as per FS procedures SAWI 070.
- 4 Results reported as received from WNSW.

ANALYTICAL RESULTS

Client Sample ID		232978	232980	232982	232984	232986	232988	232990	232992
Sampled Date		06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM
Sample Number		L23038822	L23038823	L23038824	L23038825	L23038826	L23038827	L23038828	L23038829
ALGAL									
MA71CENT : Blue-Green ID & Enumeration, Including ASU & Biovolumes									
Blue Green ASU	ASU/mL	5743	6041	5543	3946	1582	4045	4773	1975
Blue Green Biovol	mm3/L	2.19	2.18	4.1	0.952	0.822	3.87	2.62	0.469
Potentially Toxic Blue Green	cells/mL	0	121	208	173	0	0	0	0
Potentially Toxic Blue Green ASU	ASU/mL	0.00	8.34	13.9	6.53	0.00	0.00	0.00	0.00
Potentially Toxic Blue Green Biovol	mm3/L	0.000	0.014	0.021	0.005	0.000	0.000	0.000	0.000
Total Blue Green	cells/mL	2958000	3128000	2742000	2049000	799400	1875000	2410000	1040000
MA91 : Individual Species Total Count, Total BioVol, Total ASU									
Algae Source*	N/A	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL
Date of Performance	DD/MM/YY	25/05/23 00:00	25/05/23 00:00	25/05/23 00:00	26/05/23 00:00	26/05/23 00:00	25/05/23 00:00	25/05/23 00:00	25/05/23 00:00

* Indicates NATA accreditation does not cover the performance of this service

Client Sample ID	232993	232994	232995	232996	232997	232998	232999	233000
Sampled Date	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM
Sample Number	L23038830	L23038831	L23038832	L23038833	L23038834	L23038835	L23038836	L23038837

ORGANICS

TC0049DW : Algal Toxins

Anatoxin-a(extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Anatoxin-a(intracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Anatoxin-a(total)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cylindrospermopsin (extra cellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	0.07	<0.05	<0.05
Cylindrospermopsin (intra cellular)	ug/L	<0.05	<0.05	<0.05	0.05	<0.05	<0.05	0.05	<0.05
Cylindrospermopsin(total)	ug/L	<0.05	<0.05	<0.05	0.05	<0.05	0.07	0.05	<0.05
Microcystin LR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin LR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin LR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin RR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05

* Indicates NATA accreditation does not cover the performance of this service

Client Sample ID	232993	232994	232995	232996	232997	232998	232999	233000
Sampled Date	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM
Sample Number	L23038830	L23038831	L23038832	L23038833	L23038834	L23038835	L23038836	L23038837

ORGANICS

TC0049DW : Algal Toxins(Continued)

Microcystin RR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin RR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin YR(extracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin YR(intracellular)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Microcystin YR(total)	ug/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Nodularin (extracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Nodularin (intracellular)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Nodularin (total)	ug/L	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Date of Performance	DD/MM/YY	12/05/23	12/05/23	12/05/23	12/05/23	12/05/23	12/05/23	12/05/23	12/05/23

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS

C1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

* Indicates NATA accreditation does not cover the performance of this service

Client Sample ID	232993	232994	232995	232996	232997	232998	232999	233000
Sampled Date	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM
Sample Number	L23038830	L23038831	L23038832	L23038833	L23038834	L23038835	L23038836	L23038837

ORGANICS

TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)

C2	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
dcGTX2	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
dcGTX3	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
dcNeo	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
dcSTX	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
GTX1	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
GTX2	ug/L	<1	<1	<1	<1	<1	<1	<1	<1
GTX3	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
GTX4	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
GTX5	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
GTX6	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
Neosaxitoxin	ug/L	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3

* Indicates NATA accreditation does not cover the performance of this service

Client Sample ID		232993	232994	232995	232996	232997	232998	232999	233000
Sampled Date		06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM	06/05/2023 12:00:00 AM
Sample Number		L23038830	L23038831	L23038832	L23038833	L23038834	L23038835	L23038836	L23038837
ORGANICS									
TC0061DW : Paralytic Shellfish Toxins (PST) Analysis by UPLCMSMS(Continued)									
Saxitoxin	ug/L	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4
Date of Performance	DD/MM/YY	25/05/23	25/05/23	25/05/23	25/05/23	25/05/23	25/05/23	25/05/23	25/05/23

COMMENTS

<u>Sample ID</u>	<u>Comment Level</u>	<u>Method</u>	<u>Test</u>	<u>Comment</u>
L23038822	Method	MA91	-	Debris present in the sample.
L23038823	Method	MA91	-	Debris present in the sample.
L23038824	Method	MA91	-	Debris present in the sample.
L23038825	Method	MA91	-	Debris present in the sample.
L23038826	Method	MA91	-	Debris present in the sample.
L23038827	Method	MA91	-	Debris present in the sample.
L23038828	Method	MA91	-	Debris present in the sample.
L23038829	Method	MA91	-	Debris present in the sample.

* Indicates NATA accreditation does not cover the performance of this service

LABORATORY QC RESULTS

N/A - Not Applicable

PQL - Practical Quantitation Limit

LOQ - Limit of Quantification

RPD - Relative Percent Difference

SPIKE/Positive Control - Addition of a known amount and concentration

Duplicate Precision = Accepted - Result 2 within 95% confidence limits of result 1

Duplicate Precision = Outlier - Result 2 outside 95% confidence limits of result 1

Duplicate Precision = Not calculated - Result is outside test range

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Anatoxin-a(extracellular)						
<0.1 ug/L	<0.1	100 50.0 - 120.0 ug/L	81 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Anatoxin-a(intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Anatoxin-a(total)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Cyindrospermopsin (extracellular)						
<0.05 ug/L	<0.05	87 50.0 - 120.0 ug/L	79 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Cyindrospermopsin (intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Cyindrospermopsin(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin LR(extracellular)						
<0.05 ug/L	<0.05	70 50.0 - 120.0 ug/L	58 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin LR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin LR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(extracellular)						
<0.05 ug/L	<0.05	81 50.0 - 120.0 ug/L	55 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin RR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin YR(extracellular)						
<0.05 ug/L	<0.05	80 50.0 - 120.0 ug/L	62 % Recovery 50.0 - 130.0 % Recovery	<0.05	<0.05	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0049DW Microcystin YR(intracellular)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Microcystin YR(total)						
<0.05 ug/L	F		E	<0.05	<0.05	B 0.0 - 0.0 %
TC0049DW Nodularin (extracellular)						
<0.1 ug/L	<0.1	73 50.0 - 120.0 ug/L	59 % Recovery 50.0 - 130.0 % Recovery	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (intracellular)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0049DW Nodularin (total)						
<0.1 ug/L	F		E	<0.1	<0.1	B 0.0 - 0.0 %
TC0061DW C1						
<0.5 ug/L	<0.5	110 70.0 - 130.0 ug/L	100 % Recovery 50.0 - 130.0 % Recovery	<0.5	<0.5	B 0.0 - 0.0 %
TC0061DW C2						
<0.3 ug/L	<0.3	110 70.0 - 130.0 ug/L	110 % Recovery 50.0 - 130.0 % Recovery	<0.3	<0.3	B 0.0 - 0.0 %

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW dcGTX2						
<0.5 ug/L	<0.5	99 <i>70.0 - 130.0 ug/L</i>	120 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW dcGTX3						
<0.3 ug/L	<0.3	98 <i>70.0 - 130.0 ug/L</i>	100 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW dcNeo						
<0.5 ug/L	<0.5	110 <i>70.0 - 130.0 ug/L</i>	76 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW dcSTX						
<0.5 ug/L	<0.5	110 <i>70.0 - 130.0 ug/L</i>	100 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX1						
<0.5 ug/L	<0.5	110 <i>70.0 - 130.0 ug/L</i>	100 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX2						
<1 ug/L	<1	110 <i>70.0 - 130.0 ug/L</i>	130 % Recovery <i>50.0 - 130.0 % Recovery</i>	<1	<1	B <i>0.0 - 0.0 %</i>
TC0061DW GTX3						
<0.5 ug/L	<0.5	100 <i>70.0 - 130.0 ug/L</i>	110 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

LOQ	Blank	Control <i>Acceptance Criteria</i>	Spike <i>Acceptance Criteria</i>	Duplicate1	Duplicate2	RPD <i>Acceptance Criteria</i>
TC0061DW GTX4						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	120 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW GTX5						
<0.5 ug/L	<0.5	80 <i>70.0 - 130.0 ug/L</i>	120 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.5	<0.5	B <i>0.0 - 0.0 %</i>
TC0061DW GTX6						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	120 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Neosaxitoxin						
<0.3 ug/L	<0.3	110 <i>70.0 - 130.0 ug/L</i>	97 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.3	<0.3	B <i>0.0 - 0.0 %</i>
TC0061DW Saxitoxin						
<0.4 ug/L	<0.4	110 <i>70.0 - 130.0 ug/L</i>	120 % Recovery <i>50.0 - 130.0 % Recovery</i>	<0.4	<0.4	B <i>0.0 - 0.0 %</i>

* Indicates NATA accreditation does not cover the performance of this service

Extra Note:

F: Blank is not applicable for this analyte

E: Spike is not applicable for this analyte

DUPLICATE Anatoxin-a(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Anatoxin-a(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cyndrospermopsin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cyndrospermopsin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Cyndrospermopsin(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin LR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin RR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Microcystin YR(total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (extracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (intracellular) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Nodularin (total) B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE C2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcGTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcNeo B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE dcSTX B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX1 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX2 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX3 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX4 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX5 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE GTX6 B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Neosaxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

DUPLICATE Saxitoxin B: Duplicate RPD reject criteria is not applicable, results are <10 times LOQ

* Indicates NATA accreditation does not cover the performance of this service

* Indicates NATA accreditation does not cover the performance of this service